

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Blood Pressure and Cholesterol																						
Had blood pressure checked in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	278	85.0%	(78.8 - 89.6)	7,804	84.6%	(83.1 - 86.0)	NS	120	80.9%	(70.5 - 88.2)	3,150	81.2%	(78.8 - 83.4)	NS	158	89.0%	(81.6 - 93.7)	4,654	87.8%	(85.8 - 89.5)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	311	91.4%	(86.4 - 94.7)	7,947	88.0%	(86.6 - 89.2)	NS	145	93.7%	(88.0 - 96.8)	3,461	85.2%	(83.1 - 87.1)	+	166	89.4%	(80.8 - 94.4)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	285	89.7%	(84.2 - 93.5)	6,960	86.3%	(84.9 - 87.6)	NS	147	87.5%	(78.9 - 92.9)	3,146	83.0%	(80.7 - 85.1)	NS	138	92.5%	(85.0 - 96.4)	3,812	89.4%	(87.7 - 91.0)	NS	No
Ever told they have high blood pressure (excluding pregnancy) ^a																						
2011	871	35.7%	(31.8 - 39.7)	25,356	28.5%	(27.8 - 29.3)	+	339	39.4%	(33.3 - 45.8)	10,212	30.3%	(29.1 - 31.5)	+	532	32.2%	(27.5 - 37.3)	15,144	26.9%	(25.9 - 27.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	621	35.9%	(31.3 - 40.8)	17,085	30.3%	(29.2 - 31.4)	NS	268	38.2%	(31.0 - 45.8)	6,956	32.5%	(30.8 - 34.1)	NS	353	33.7%	(28.1 - 39.9)	10,129	28.2%	(26.9 - 29.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	693	34.6%	(30.5 - 38.8)	17,515	29.9%	(28.9 - 30.9)	NS	306	41.1%	(34.8 - 47.6)	7,546	32.6%	(31.1 - 34.2)	+	387	28.1%	(23.4 - 33.4)	9,969	27.2%	(26.0 - 28.5)	NS	Yes
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	634	34.5%	(30.5 - 38.8)	15,320	30.6%	(29.6 - 31.7)	NS	318	35.3%	(29.7 - 41.4)	6,956	33.5%	(31.9 - 35.2)	NS	316	33.7%	(28.2 - 39.8)	8,357	27.8%	(26.4 - 29.2)	NS	No
Currently taking blood pressure medication, among those ever told they have high BP																						
2011	361	70.9%	(63.2 - 77.6)	9,505	77.9%	(76.5 - 79.2)	NS	152	64.7%	(53.7 - 74.3)	3,877	72.0%	(69.8 - 74.1)	NS	209	78.2%	(67.0 - 86.3)	5,628	84.2%	(82.5 - 85.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	262	78.4%	(71.0 - 84.4)	6,747	78.5%	(76.6 - 80.3)	NS	120	77.0%	(66.2 - 85.2)	2,828	73.1%	(70.2 - 75.9)	NS	142	80.0%	(68.8 - 87.8)	3,919	84.5%	(82.3 - 86.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	277	87.9%	(82.0 - 92.1)	6,685	77.8%	(75.9 - 79.6)	+	130	83.8%	(74.4 - 90.1)	3,016	73.0%	(70.1 - 75.7)	NS	147	93.8%	(87.5 - 97.1)	3,669	83.4%	(80.9 - 85.6)	+	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	255	81.0%	(73.7 - 86.7)	5,886	78.6%	(76.8 - 80.4)	NS	130	80.6%	(69.9 - 88.1)	2,801	74.0%	(71.3 - 76.6)	NS	125	81.5%	(70.5 - 89.1)	3,082	84.1%	(81.7 - 86.3)	NS	No
Had cholesterol checked in past 5 years ^{a#}																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	606	83.6%	(79.4 - 87.1)	14,658	84.4%	(83.4 - 85.3)	NS	309	80.3%	(73.9 - 85.5)	6,659	82.5%	(80.9 - 83.9)	NS	297	87.0%	(81.3 - 91.2)	7,992	86.2%	(84.9 - 87.5)	NS	No
Ever told they have high cholesterol, among those who have ever had it checked ^{a#}																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	556	34.8%	(30.6 - 39.4)	13,427	31.9%	(30.7 - 33.1)	NS	280	35.1%	(29.1 - 41.5)	6,011	33.0%	(31.3 - 34.6)	NS	276	34.6%	(28.7 - 41.1)	7,409	30.9%	(29.3 - 32.5)	NS	No
Currently taking cholesterol medication, among those ever told they have high cholesterol																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	230	59.6%	(52.1 - 66.6)	5,083	60.7%	(58.5 - 62.8)	NS	117	63.7%	(53.1 - 73.1)	2,274	62.6%	(59.4 - 65.8)	NS	113	55.5%	(44.9 - 65.6)	2,806	58.7%	(55.7 - 61.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		Sig ^d		
Up-to-date on breast cancer screening, female 50-74 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	180	75.8%	(67.3 - 82.7)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	180	75.8%	(67.3 - 82.7)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2014	265	71.7%	(65.1 - 77.4)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	265	71.7%	(65.1 - 77.4)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2016	164	69.0%	(60.8 - 76.2)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	164	69.0%	(60.8 - 76.2)	3,914	73.4%	(71.3 - 75.4)	NS	NA
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Up-to-date on cervical cancer screening, female 21-65 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	128	85.6%	(75.9 - 91.8)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	128	85.6%	(75.9 - 91.8)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2014	241	79.3%	(72.8 - 84.5)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	241	79.3%	(72.8 - 84.5)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2016	165	80.8%	(72.9 - 86.7)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	165	80.8%	(72.9 - 86.7)	3,814	77.7%	(75.5 - 79.8)	NS	NA
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Arthritis																						
Ever told they have arthritis																						
2011	870	26.2%	(23.1 - 29.6)	25,285	23.4%	(22.8 - 24.1)	NS	337	21.7%	(17.4 - 26.8)	10,184	20.1%	(19.2 - 21.1)	NS	533	30.4%	(26.2 - 35.1)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	601	30.6%	(26.4 - 35.3)	19,089	24.6%	(23.8 - 25.4)	+	235	29.3%	(23.0 - 36.6)	7,839	21.5%	(20.3 - 22.6)	+	366	31.9%	(26.4 - 37.9)	11,250	27.7%	(26.6 - 28.8)	NS	No
2013	619	28.5%	(24.4 - 32.9)	17,017	24.7%	(23.8 - 25.7)	NS	268	26.6%	(20.7 - 33.5)	6,925	21.6%	(20.2 - 23.0)	NS	351	30.3%	(25.1 - 36.2)	10,092	27.8%	(26.5 - 29.2)	NS	No
2014	939	30.9%	(27.7 - 34.4)	22,307	24.6%	(23.8 - 25.4)	+	415	29.7%	(25.0 - 34.9)	9,560	21.6%	(20.5 - 22.8)	+	524	32.1%	(27.8 - 36.8)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	691	29.8%	(26.1 - 33.9)	17,472	23.4%	(22.6 - 24.3)	+	305	29.7%	(24.3 - 35.7)	7,540	19.7%	(18.5 - 20.9)	+	386	30.0%	(24.9 - 35.7)	9,932	27.1%	(25.9 - 28.4)	NS	No
2016	649	26.5%	(23.0 - 30.3)	15,137	24.6%	(23.6 - 25.6)	NS	301	23.7%	(18.9 - 29.4)	6,622	21.7%	(20.3 - 23.2)	NS	348	29.2%	(24.2 - 34.7)	8,515	27.4%	(26.0 - 28.8)	NS	No
2017	632	29.2%	(25.5 - 33.2)	15,285	24.0%	(23.0 - 25.0)	+	317	25.6%	(20.9 - 31.0)	6,939	20.6%	(19.3 - 22.0)	NS	315	32.8%	(27.3 - 38.9)	8,339	27.3%	(25.9 - 28.7)	NS	No
Currently have activity limitations due to arthritis, among those ever told they have arthritis ^a																						
2011	289	47.6%	(40.9 - 54.3)	7,973	45.2%	(43.6 - 46.8)	NS	90	55.2%	(43.6 - 66.2)	2,711	42.6%	(40.0 - 45.2)	NS	199	42.4%	(34.7 - 50.5)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	206	45.2%	(37.0 - 53.6)	5,460	42.4%	(40.3 - 44.6)	NS	80	49.4%	(36.2 - 62.7)	1,861	41.0%	(37.4 - 44.6)	NS	126	41.6%	(32.0 - 51.9)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2015	231	39.8%	(32.4 - 47.7)	5,146	44.0%	(41.9 - 46.1)	NS	96	39.1%	(28.6 - 50.7)	1,852	41.9%	(38.6 - 45.3)	NS	135	40.4%	(30.5 - 51.2)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2017	212	45.9%	(38.6 - 53.4)	4,782	46.2%	(44.0 - 48.4)	NS	99	47.4%	(37.0 - 58.1)	1,885	41.1%	(37.8 - 44.5)	NS	113	44.7%	(34.8 - 55.0)	2,895	50.0%	(47.1 - 52.9)	NS	No
Asthma																						
Ever told they have asthma																						
2011	873	10.6%	(8.2 - 13.5)	25,327	11.5%	(10.9 - 12.1)	NS	339	9.4%	(6.5 - 13.5)	10,194	10.5%	(9.6 - 11.3)	NS	534	11.7%	(8.3 - 16.2)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	604	11.5%	(8.5 - 15.4)	19,105	10.8%	(10.2 - 11.5)	NS	236	8.6%	(5.1 - 14.1)	7,847	9.7%	(8.8 - 10.7)	NS	368	14.3%	(9.8 - 20.4)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	622	12.4%	(9.4 - 16.2)	17,068	11.2%	(10.5 - 12.0)	NS	268	13.1%	(8.3 - 20.0)	6,946	9.6%	(8.6 - 10.8)	NS	354	11.8%	(8.6 - 15.9)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	940	12.7%	(10.4 - 15.4)	22,355	12.2%	(11.5 - 13.0)	NS	416	12.1%	(9.0 - 16.2)	9,583	10.8%	(9.8 - 11.9)	NS	524	13.2%	(10.1 - 17.2)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	691	13.4%	(10.5 - 16.8)	17,492	12.1%	(11.3 - 12.9)	NS	305	11.5%	(7.8 - 16.7)	7,554	10.7%	(9.6 - 12.0)	NS	386	15.2%	(11.2 - 20.3)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	652	12.0%	(9.3 - 15.3)	15,144	12.4%	(11.5 - 13.4)	NS	302	9.9%	(6.5 - 14.9)	6,622	10.4%	(9.2 - 11.8)	NS	350	14.0%	(10.2 - 18.8)	8,522	14.3%	(13.1 - 15.7)	NS	No
2017	631	16.7%	(13.2 - 20.8)	15,312	12.0%	(11.2 - 12.9)	+	315	12.3%	(8.3 - 17.8)	6,951	10.5%	(9.4 - 11.8)	NS	316	21.0%	(15.7 - 27.4)	8,354	13.5%	(12.4 - 14.7)	+	No
Currently have asthma																						
2011	871	7.0%	(5.0 - 9.6)	25,257	7.3%	(6.9 - 7.8)	NS	339	5.3%	(3.3 - 8.6)	10,170	6.0%	(5.4 - 6.7)	NS	532	8.5%	(5.5 - 12.8)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	603	8.0%	(5.6 - 11.4)	19,053	7.4%	(6.9 - 7.9)	NS	236	5.3%	(2.9 - 9.5)	7,832	6.1%	(5.4 - 6.9)	NS	367	10.7%	(6.8 - 16.3)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	620	9.1%	(6.6 - 12.5)	17,024	7.3%	(6.7 - 8.0)	NS	268	9.3%	(5.5 - 15.4)	6,930	5.5%	(4.8 - 6.4)	NS	352	8.9%	(6.1 - 12.7)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	937	9.1%	(7.1 - 11.5)	22,289	7.7%	(7.2 - 8.3)	NS	415	7.5%	(5.1 - 10.7)	9,562	6.2%	(5.5 - 7.0)	NS	522	10.6%	(7.7 - 14.4)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	687	7.8%	(5.7 - 10.4)	17,435	7.2%	(6.6 - 7.8)	NS	304	5.6%	(3.4 - 9.0)	7,533	5.4%	(4.7 - 6.2)	NS	383	9.9%	(6.8 - 14.3)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	651	8.5%	(6.2 - 11.6)	15,116	8.3%	(7.5 - 9.1)	NS	301	6.1%	(3.4 - 10.6)	6,609	6.1%	(5.2 - 7.1)	NS	350	11.0%	(7.6 - 15.6)	8,507	10.4%	(9.3 - 11.6)	NS	No
2017	631	12.9%	(9.8 - 16.9)	15,264	8.2%	(7.5 - 8.9)	+	315	8.9%	(5.4 - 14.2)	6,927	6.1%	(5.3 - 7.0)	NS	316	16.9%	(12.0 - 23.3)	8,330	10.3%	(9.2 - 11.4)	+	No

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	South Heartland		State of NE			South Heartland		State of NE			South Heartland		State of NE									
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d							
Has rule not allowing smoking at any time inside family vehicle, among those who have a car																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2017	279	89.1%	(84.0 - 92.7)	6,838	86.7%	(85.3 - 87.9)	NS	146	88.4%	(80.9 - 93.2)	3,107	85.9%	(83.8 - 87.8)	NS	133	90.0%	(82.2 - 94.6)	3,729	87.3%	(85.5 - 89.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	635	17.8%	(14.3 - 21.9)	14,819	22.6%	(21.4 - 23.9)	NS	295	20.9%	(15.5 - 27.6)	6,474	25.1%	(23.3 - 27.0)	NS	340	14.6%	(10.7 - 19.7)	8,345	20.2%	(18.7 - 21.9)	NS	No
2017	605	17.0%	(13.7 - 21.1)	14,763	20.7%	(19.6 - 21.8)	NS	305	18.7%	(13.8 - 24.7)	6,690	23.8%	(22.1 - 25.6)	NS	300	15.4%	(11.0 - 21.2)	8,067	17.7%	(16.2 - 19.2)	NS	No
Current e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	635	2.8%	(1.7 - 4.6)	14,819	4.9%	(4.3 - 5.6)	NS	295	2.6%	(1.3 - 5.5)	6,474	5.3%	(4.5 - 6.4)	NS	340	3.0%	(1.6 - 5.6)	8,345	4.5%	(3.7 - 5.6)	NS	No
2017	605	3.3%	(1.9 - 5.7)	14,763	3.8%	(3.3 - 4.4)	NS	305	4.3%	(2.0 - 8.9)	6,690	4.7%	(3.9 - 5.7)	NS	300	2.4%	(1.2 - 4.9)	8,067	3.0%	(2.4 - 3.8)	NS	No
Overweight and Obesity																						
Obese (BMI=30+) [^]																						
2011	845	29.6%	(25.8 - 33.6)	24,366	28.4%	(27.6 - 29.2)	NS	339	33.2%	(27.3 - 39.6)	10,102	29.2%	(28.0 - 30.4)	NS	506	26.0%	(21.4 - 31.1)	14,264	27.6%	(26.5 - 28.8)	NS	No
2012	588	30.6%	(26.0 - 35.6)	18,385	28.6%	(27.7 - 29.6)	NS	235	27.1%	(20.8 - 34.5)	7,781	29.2%	(27.9 - 30.6)	NS	353	34.1%	(27.7 - 41.0)	10,604	28.1%	(26.8 - 29.3)	NS	No
2013	581	26.3%	(22.2 - 30.9)	16,250	29.6%	(28.4 - 30.7)	NS	263	25.3%	(19.5 - 32.1)	6,860	30.8%	(29.1 - 32.5)	NS	318	27.4%	(21.9 - 33.7)	9,390	28.4%	(26.9 - 29.9)	NS	No
2014	898	34.6%	(31.1 - 38.4)	21,130	30.2%	(29.2 - 31.3)	NS	413	37.4%	(32.3 - 42.9)	9,399	31.7%	(30.2 - 33.2)	NS	485	31.7%	(26.8 - 36.9)	11,731	28.7%	(27.4 - 30.1)	NS	No
2015	655	34.4%	(30.2 - 38.9)	16,265	31.4%	(30.3 - 32.5)	NS	298	38.5%	(32.3 - 45.1)	7,323	32.9%	(31.3 - 34.6)	NS	357	30.1%	(24.6 - 36.1)	8,942	29.8%	(28.3 - 31.3)	NS	No
2016	614	34.0%	(29.8 - 38.6)	14,173	32.0%	(30.8 - 33.2)	NS	298	32.6%	(26.6 - 39.1)	6,460	32.6%	(30.8 - 34.3)	NS	316	35.6%	(29.7 - 42.0)	7,713	31.4%	(29.7 - 33.1)	NS	No
2017	598	38.5%	(34.0 - 43.2)	14,330	32.8%	(31.6 - 34.0)	+	310	39.8%	(33.6 - 46.3)	6,753	33.2%	(31.5 - 34.9)	NS	288	37.1%	(30.8 - 43.8)	7,574	32.3%	(30.6 - 34.0)	NS	No
Overweight or Obese (BMI=25+)																						
2011	845	63.2%	(58.9 - 67.4)	24,366	64.9%	(64.0 - 65.8)	NS	339	70.1%	(63.4 - 76.0)	10,102	72.8%	(71.5 - 74.1)	NS	506	56.4%	(50.7 - 61.9)	14,264	56.8%	(55.5 - 58.1)	NS	Yes
2012	588	68.7%	(63.1 - 73.7)	18,385	65.0%	(64.0 - 66.0)	NS	235	72.5%	(63.8 - 79.8)	7,781	72.3%	(70.8 - 73.7)	NS	353	64.8%	(57.5 - 71.4)	10,604	57.6%	(56.2 - 59.0)	NS	No
2013	581	63.5%	(57.7 - 68.9)	16,250	65.5%	(64.2 - 66.7)	NS	263	65.9%	(56.8 - 73.9)	6,860	72.2%	(70.4 - 74.0)	NS	318	60.9%	(53.5 - 67.9)	9,390	58.5%	(56.8 - 60.2)	NS	No
2014	898	69.4%	(65.6 - 72.9)	21,130	66.7%	(65.6 - 67.8)	NS	413	75.1%	(69.9 - 79.6)	9,399	73.8%	(72.3 - 75.3)	NS	485	63.3%	(57.8 - 68.4)	11,731	59.2%	(57.7 - 60.7)	NS	Yes
2015	655	70.9%	(66.3 - 75.0)	16,265	67.0%	(65.8 - 68.2)	NS	298	79.4%	(73.2 - 84.5)	7,323	73.4%	(71.7 - 75.1)	NS	357	61.8%	(55.0 - 68.0)	8,942	60.2%	(58.6 - 61.9)	NS	Yes
2016	614	70.0%	(65.3 - 74.3)	14,173	68.5%	(67.3 - 69.8)	NS	298	73.5%	(66.6 - 79.4)	6,460	74.9%	(73.1 - 76.6)	NS	316	66.1%	(59.3 - 72.2)	7,713	61.8%	(59.9 - 63.6)	NS	No
2017	598	75.1%	(70.7 - 79.0)	14,330	69.0%	(67.8 - 70.2)	+	310	78.7%	(72.4 - 83.9)	6,753	75.2%	(73.5 - 76.8)	NS	288	71.2%	(65.0 - 76.7)	7,574	62.4%	(60.6 - 64.2)	+	No
Nutrition																						
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	275	28.4%	(22.4 - 35.2)	7,822	28.5%	(26.8 - 30.3)	NS	118	37.2%	(27.7 - 47.9)	3,164	35.8%	(33.1 - 38.5)	NS	157	19.6%	(13.1 - 28.4)	4,658	21.7%	(19.7 - 24.0)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

Indicators	Overall						Men						Women						LHD Gender Diff. ^o				
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	277	56.1%	(49.1 - 62.8)	7,818	46.3%	(44.6 - 48.1)	+	119	54.2%	(43.8 - 64.3)	3,165	43.4%	(40.8 - 46.0)	NS	158	57.9%	(48.5 - 66.7)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	310	47.3%	(40.3 - 54.4)	7,892	46.8%	(45.0 - 48.5)	NS	145	48.8%	(38.2 - 59.4)	3,436	46.0%	(43.4 - 48.7)	NS	165	46.0%	(37.0 - 55.3)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits ^d																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	591	1.02	(0.99 - 1.09)	14,259	1.02	(1.02 - 1.07)	NS	297	0.98	(0.90 - 1.06)	6,436	1.00	(1.00 - 1.00)	NS	294	1.05	(0.99 - 1.14)	7,817	1.10	(1.07 - 1.15)	NS	No	
Consumed fruits less than 1 time per day ^d																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	591	36.8%	(32.3 - 41.5)	14,259	36.9%	(35.6 - 38.1)	NS	297	40.2%	(33.8 - 47.0)	6,436	42.0%	(40.1 - 43.8)	NS	294	33.4%	(27.2 - 40.1)	7,817	31.9%	(30.2 - 33.6)	NS	No	
Median times per day consumed vegetables ^d																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	581	1.67	(1.57 - 1.72)	14,023	1.68	(1.64 - 1.72)	NS	291	1.67	(1.54 - 1.74)	6,314	1.57	(1.56 - 1.64)	NS	290	1.68	(1.56 - 1.94)	7,703	1.73	(1.71 - 1.83)	NS	No	
Consumed vegetables less than 1 time per day ^d																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	581	19.7%	(15.9 - 24.1)	14,023	20.0%	(18.9 - 21.1)	NS	291	18.6%	(13.7 - 24.9)	6,314	21.9%	(20.3 - 23.5)	NS	290	20.7%	(15.4 - 27.3)	7,703	18.1%	(16.7 - 19.6)	NS	No	
Physical Activity																							
No leisure-time physical activity in past 30 days ^a																							
2011	829	29.2%	(25.5 - 33.2)	24,433	26.3%	(25.5 - 27.1)	NS	319	34.7%	(28.7 - 41.3)	9,795	27.2%	(26.0 - 28.5)	+	510	24.2%	(20.0 - 29.0)	14,638	25.4%	(24.3 - 26.5)	NS	No	
2012	606	24.0%	(19.7 - 28.9)	19,153	21.0%	(20.2 - 21.9)	NS	237	27.8%	(21.0 - 35.7)	7,865	20.4%	(19.3 - 21.7)	NS	369	20.3%	(15.3 - 26.4)	11,288	21.6%	(20.5 - 22.8)	NS	No	
2013	582	29.5%	(24.6 - 34.9)	16,158	25.3%	(24.2 - 26.4)	NS	246	35.2%	(27.1 - 44.3)	6,567	26.3%	(24.7 - 28.1)	NS	336	24.3%	(19.3 - 30.1)	9,591	24.3%	(22.9 - 25.8)	NS	No	
2014	940	26.1%	(23.0 - 29.4)	22,397	21.3%	(20.4 - 22.1)	+	415	28.2%	(23.5 - 33.4)	9,599	21.2%	(20.0 - 22.5)	+	525	24.0%	(20.1 - 28.5)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	652	23.4%	(19.7 - 27.6)	16,319	25.3%	(24.3 - 26.4)	NS	286	24.1%	(18.8 - 30.4)	6,997	25.3%	(23.8 - 26.9)	NS	366	22.7%	(17.8 - 28.4)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	650	26.3%	(22.6 - 30.4)	15,169	22.4%	(21.4 - 23.5)	NS	302	25.0%	(19.9 - 31.0)	6,633	20.7%	(19.3 - 22.3)	NS	348	27.6%	(22.5 - 33.3)	8,536	24.1%	(22.7 - 25.6)	NS	No	
2017	587	32.6%	(28.3 - 37.2)	14,296	25.4%	(24.3 - 26.5)	+	291	34.7%	(28.5 - 41.4)	6,456	25.7%	(24.2 - 27.4)	+	296	30.6%	(24.9 - 37.0)	7,835	25.0%	(23.5 - 26.5)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		Sig ^d		
Met aerobic physical activity recommendation^a																						
2011	799	49.1%	(44.7 - 53.5)	23,735	49.0%	(48.0 - 49.9)	NS	307	46.8%	(40.0 - 53.8)	9,544	47.2%	(45.8 - 48.6)	NS	492	51.1%	(45.5 - 56.8)	14,191	50.6%	(49.4 - 51.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	560	46.2%	(40.8 - 51.7)	15,730	50.1%	(48.8 - 51.4)	NS	237	40.4%	(32.6 - 48.8)	6,416	48.8%	(46.9 - 50.7)	NS	323	51.6%	(44.6 - 58.6)	9,314	51.4%	(49.7 - 53.1)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	641	53.1%	(48.4 - 57.9)	15,878	51.3%	(50.0 - 52.5)	NS	280	52.4%	(45.5 - 59.1)	6,832	51.1%	(49.2 - 53.0)	NS	361	53.9%	(47.3 - 60.4)	9,046	51.4%	(49.8 - 53.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	566	46.1%	(41.3 - 50.9)	13,922	49.4%	(48.1 - 50.7)	NS	284	43.8%	(37.3 - 50.6)	6,309	48.8%	(46.9 - 50.7)	NS	282	48.3%	(41.5 - 55.1)	7,613	49.9%	(48.1 - 51.7)	NS	No
Met muscle strengthening recommendation^a																						
2011	819	24.2%	(20.5 - 28.4)	24,204	28.1%	(27.3 - 29.0)	NS	314	22.7%	(17.2 - 29.3)	9,697	32.0%	(30.6 - 33.4)	-	505	25.6%	(20.7 - 31.1)	14,507	24.5%	(23.4 - 25.6)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	577	22.7%	(18.5 - 27.6)	16,021	28.4%	(27.2 - 29.6)	NS	242	21.4%	(15.4 - 29.1)	6,499	31.0%	(29.2 - 32.8)	-	335	23.9%	(18.3 - 30.4)	9,522	26.0%	(24.5 - 27.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	638	25.7%	(21.4 - 30.4)	16,117	31.2%	(30.1 - 32.5)	NS	281	29.8%	(23.7 - 36.8)	6,893	34.9%	(33.1 - 36.8)	NS	357	21.5%	(16.0 - 28.3)	9,224	27.7%	(26.2 - 29.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	576	20.9%	(17.2 - 25.1)	14,103	29.8%	(28.6 - 31.1)	-	286	24.1%	(18.8 - 30.4)	6,366	32.2%	(30.4 - 34.0)	NS	290	17.8%	(13.1 - 23.6)	7,732	27.5%	(25.9 - 29.2)	-	No
Met both aerobic physical activity and muscle strengthening recommendations^a																						
2011	794	17.4%	(14.0 - 21.4)	23,567	19.0%	(18.2 - 19.8)	NS	305	16.8%	(11.8 - 23.3)	9,477	19.7%	(18.5 - 20.9)	NS	489	18.0%	(13.7 - 23.3)	14,090	18.4%	(17.4 - 19.4)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	560	14.1%	(10.6 - 18.3)	15,635	18.8%	(17.8 - 19.9)	NS	237	11.6%	(7.2 - 18.2)	6,366	19.4%	(17.9 - 21.0)	NS	323	16.3%	(11.6 - 22.5)	9,269	18.2%	(16.8 - 19.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	629	18.7%	(14.9 - 23.3)	15,724	21.8%	(20.7 - 22.9)	NS	276	21.2%	(15.6 - 28.0)	6,757	23.3%	(21.6 - 25.1)	NS	353	16.3%	(11.5 - 22.7)	8,967	20.3%	(18.9 - 21.7)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	559	14.3%	(11.3 - 17.8)	13,779	19.1%	(18.0 - 20.1)	-	280	15.8%	(11.7 - 20.9)	6,239	19.7%	(18.3 - 21.3)	NS	279	12.8%	(8.8 - 18.2)	7,540	18.4%	(17.0 - 19.9)	NS	No
Walk for at least 10 minutes at a time for any reason during a usual week																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	312	87.4%	(82.3 - 91.2)	7,895	84.6%	(83.3 - 85.8)	NS	146	86.4%	(77.8 - 92.0)	3,442	84.2%	(82.2 - 86.0)	NS	166	88.3%	(81.4 - 92.9)	4,453	85.1%	(83.4 - 86.6)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	280	82.0%	(76.3 - 86.5)	6,914	84.8%	(83.5 - 86.0)	NS	147	83.7%	(75.2 - 89.7)	3,134	84.0%	(82.0 - 85.8)	NS	133	79.7%	(71.5 - 86.0)	3,778	85.6%	(83.9 - 87.2)	NS	No
Have access to safe places to walk in their neighborhood																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	310	85.1%	(79.8 - 89.2)	7,893	88.4%	(87.2 - 89.4)	NS	144	89.4%	(82.6 - 93.8)	3,439	88.8%	(87.2 - 90.3)	NS	166	81.3%	(72.9 - 87.5)	4,454	87.9%	(86.3 - 89.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	282	86.9%	(81.7 - 90.8)	6,927	88.3%	(87.3 - 89.2)	NS	147	89.2%	(81.7 - 93.8)	3,137	89.2%	(87.7 - 90.5)	NS	135	84.1%	(75.7 - 89.9)	3,788	87.4%	(85.9 - 88.7)	NS	No
Injury																						
Always wear a seatbelt when driving or riding in a car^a																						
2011	822	62.8%	(58.4 - 67.0)	24,208	71.3%	(70.5 - 72.1)	-	315	50.7%	(43.9 - 57.4)	9,683	63.7%	(62.4 - 65.0)	-	507	73.5%	(68.1 - 78.3)	14,525	78.6%	(77.5 - 79.5)	NS	Yes
2012	598	60.6%	(55.0 - 66.0)	18,851	69.7%	(68.7 - 70.6)	-	232	46.6%	(38.4 - 54.9)	7,731	61.7%	(60.2 - 63.2)	-	366	74.1%	(67.1 - 80.1)	11,120	77.3%	(76.1 - 78.4)	NS	Yes
2013	577	65.7%	(60.5 - 70.6)	16,053	74.1%	(73.0 - 75.2)	-	244	50.2%	(41.8 - 58.6)	6,520	67.0%	(65.3 - 68.7)	-	333	80.0%	(74.2 - 84.8)	9,533	80.8%	(79.5 - 82.1)	NS	Yes
2014	912	59.0%	(55.1 - 62.8)	21,599	72.4%	(71.5 - 73.3)	-	401	50.8%	(45.1 - 56.4)	9,241	64.7%	(63.2 - 66.2)	-	511	67.1%	(61.7 - 72.0)	12,358	79.8%	(78.7 - 80.9)	-	Yes
2015	640	62.5%	(57.6 - 67.2)	16,136	75.4%	(74.4 - 76.4)	-	279	55.3%	(48.3 - 62.1)	6,900	68.2%	(66.5 - 69.9)	-	361	69.7%	(62.9 - 75.7)	9,236	82.3%	(81.1 - 83.4)	-	Yes
2016	626	65.9%	(61.3 - 70.2)	14,628	73.8%	(72.7 - 74.9)	-	291	58.3%	(51.6 - 64.7)	6,370	66.8%	(65.0 - 68.5)	-	335	73.4%	(66.9 - 79.0)	8,258	80.6%	(79.2 - 81.8)	-	Yes
2017	580	65.1%	(60.3 - 69.5)	14,160	76.3%	(75.2 - 77.3)	-	287	58.3%	(51.5 - 64.9)	6,393	70.4%	(68.8 - 72.0)	-	293	71.5%	(64.9 - 77.3)	7,762	82.0%	(80.7 - 83.3)	-	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		Sig ^d		
Texted while driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	286	21.0%	(15.4 - 28.0)	11,451	26.8%	(25.6 - 27.9)	NS	116	26.9%	(17.7 - 38.8)	4,757	29.2%	(27.5 - 31.0)	NS	170	15.9%	(10.2 - 24.1)	6,694	24.4%	(22.8 - 26.0)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2015	310	22.7%	(16.9 - 29.7)	7,620	24.9%	(23.3 - 26.6)	NS	125	23.6%	(15.5 - 34.1)	3,209	27.6%	(25.0 - 30.3)	NS	185	21.8%	(14.1 - 32.2)	4,411	22.3%	(20.3 - 24.4)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2017	262	28.2%	(22.1 - 35.3)	6,452	26.6%	(24.9 - 28.4)	NS	125	33.4%	(24.3 - 44.0)	2,894	29.9%	(27.4 - 32.6)	NS	137	22.5%	(15.2 - 32.1)	3,555	23.4%	(21.2 - 25.8)	NS	No
Talked on a cell phone while driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	287	60.7%	(53.9 - 67.1)	11,424	69.1%	(68.0 - 70.2)	-	116	66.5%	(56.3 - 75.4)	4,742	71.5%	(69.9 - 73.2)	NS	171	55.8%	(46.9 - 64.3)	6,682	66.7%	(65.2 - 68.2)	-	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2015	304	67.6%	(60.8 - 73.7)	7,604	67.0%	(65.3 - 68.6)	NS	122	75.8%	(65.9 - 83.6)	3,203	71.0%	(68.5 - 73.3)	NS	182	59.6%	(50.3 - 68.3)	4,401	63.1%	(60.8 - 65.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2017	263	66.2%	(59.8 - 72.0)	6,436	66.5%	(64.8 - 68.2)	NS	127	69.0%	(59.5 - 77.2)	2,888	71.2%	(68.7 - 73.6)	NS	136	63.0%	(54.1 - 71.1)	3,545	61.9%	(59.5 - 64.3)	NS	No
Had a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	480	30.1%	(25.4 - 35.1)	13,738	28.8%	(27.7 - 29.9)	NS	180	27.8%	(20.8 - 35.9)	5,384	26.9%	(25.3 - 28.5)	NS	300	32.1%	(26.2 - 38.6)	8,354	30.5%	(29.1 - 31.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2014	665	29.7%	(25.9 - 33.7)	15,671	26.1%	(25.1 - 27.1)	NS	279	32.1%	(26.2 - 38.5)	6,513	24.5%	(23.0 - 26.1)	+	386	27.5%	(22.9 - 32.6)	9,158	27.6%	(26.2 - 29.0)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2016	446	25.9%	(21.7 - 30.5)	10,369	29.0%	(27.7 - 30.3)	NS	206	23.3%	(17.6 - 30.1)	4,333	28.1%	(26.2 - 30.1)	NS	240	28.5%	(22.8 - 35.0)	6,036	29.7%	(28.0 - 31.5)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Injured due to a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	479	11.8%	(8.7 - 15.7)	13,719	9.9%	(9.2 - 10.6)	NS	179	8.9%	(5.0 - 15.4)	5,377	7.7%	(6.7 - 8.7)	NS	300	14.2%	(10.1 - 19.8)	8,342	11.8%	(10.9 - 12.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2014	664	11.5%	(9.0 - 14.6)	15,647	8.8%	(8.2 - 9.5)	NS	278	12.1%	(8.3 - 17.3)	6,502	6.8%	(6.0 - 7.7)	+	386	10.9%	(7.9 - 15.0)	9,145	10.6%	(9.7 - 11.6)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2016	446	8.8%	(6.3 - 12.0)	10,367	10.1%	(9.3 - 11.0)	NS	206	8.9%	(5.4 - 14.1)	4,333	7.8%	(6.8 - 9.0)	NS	240	8.7%	(5.7 - 13.1)	6,034	12.2%	(11.0 - 13.6)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Mental Health																						
Ever told they have depression																						
2011	870	19.6%	(16.5 - 23.2)	25,333	16.8%	(16.2 - 17.5)	NS	338	13.9%	(10.0 - 18.9)	10,198	11.5%	(10.7 - 12.4)	NS	532	25.0%	(20.4 - 30.2)	15,135	22.0%	(21.0 - 23.0)	NS	Yes
2012	605	13.8%	(10.4 - 18.1)	19,115	16.7%	(16.0 - 17.5)	NS	237	8.9%	(5.6 - 13.9)	7,853	12.4%	(11.4 - 13.5)	NS	368	18.6%	(13.2 - 25.5)	11,262	20.9%	(19.8 - 22.1)	NS	No
2013	623	18.5%	(14.6 - 23.1)	17,065	18.2%	(17.3 - 19.2)	NS	269	15.0%	(9.9 - 22.2)	6,940	12.9%	(11.6 - 14.2)	NS	354	21.9%	(16.6 - 28.2)	10,125	23.4%	(22.0 - 24.8)	NS	No
2014	937	20.7%	(17.8 - 23.9)	22,346	17.7%	(16.9 - 18.6)	NS	416	14.7%	(11.1 - 19.1)	9,582	13.0%	(11.8 - 14.2)	NS	521	26.5%	(22.2 - 31.4)	12,764	22.3%	(21.1 - 23.5)	NS	Yes
2015	691	19.1%	(15.7 - 23.2)	17,485	17.5%	(16.7 - 18.5)	NS	303	12.1%	(8.4 - 17.2)	7,534	12.4%	(11.3 - 13.7)	NS	388	25.9%	(20.5 - 32.2)	9,951	22.5%	(21.2 - 23.8)	NS	Yes
2016	651	20.5%	(17.1 - 24.4)	15,138	17.8%	(16.8 - 18.8)	NS	302	17.4%	(12.9 - 23.1)	6,609	12.1%	(10.9 - 13.4)	NS	349	23.5%	(18.7 - 29.1)	8,529	23.4%	(21.8 - 25.0)	NS	No
2017	633	22.3%	(18.7 - 26.4)	15,299	19.4%	(18.5 - 20.5)	NS	317	15.8%	(11.5 - 21.2)	6,937	13.0%	(11.8 - 14.2)	NS	316	28.8%	(23.2 - 35.0)	8,355	25.8%	(24.3 - 27.3)	NS	Yes
Frequent Mental Distress in past 30 days																						
2011	858	11.0%	(8.6 - 14.0)	25,036	9.2%	(8.7 - 9.7)	NS	332	9.4%	(6.2 - 14.0)	10,097	7.7%	(7.0 - 8.4)	NS	526	12.5%	(9.2 - 16.9)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	592	7.2%	(4.8 - 10.7)	18,935	9.0%	(8.4 - 9.7)	NS	231	5.0%	(2.4 - 10.3)	7,786	7.4%	(6.6 - 8.3)	NS	361	9.4%	(5.9 - 14.7)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	615	9.0%	(6.1 - 13.0)	16,889	8.9%	(8.2 - 9.6)	NS	266	9.2%	(5.1 - 16.1)	6,889	6.8%	(5.9 - 7.9)	NS	349	8.8%	(5.3 - 14.1)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	919	8.1%	(6.3 - 10.5)	22,132	8.2%	(7.6 - 8.8)	NS	402	5.5%	(3.3 - 8.9)	9,483	6.4%	(5.6 - 7.3)	NS	517	10.7%	(7.9 - 14.3)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	690	7.2%	(5.0 - 10.2)	17,369	8.9%	(8.2 - 9.6)	NS	304	6.1%	(3.5 - 10.5)	7,491	6.9%	(6.0 - 7.9)	NS	386	8.3%	(5.2 - 13.0)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	644	9.2%	(6.9 - 12.2)	15,035	9.5%	(8.7 - 10.4)	NS	300	8.4%	(5.3 - 13.0)	6,568	7.0%	(6.0 - 8.1)	NS	344	10.0%	(7.0 - 14.2)	8,467	12.0%	(10.8 - 13.3)	NS	No
2017	621	10.6%	(8.0 - 14.0)	15,179	10.5%	(9.7 - 11.4)	NS	312	8.2%	(5.4 - 12.3)	6,894	7.6%	(6.7 - 8.6)	NS	309	13.0%	(9.0 - 18.6)	8,278	13.4%	(12.2 - 14.7)	NS	No

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	South Heartland			State of NE		South Heartland			State of NE		South Heartland			State of NE								
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d							
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	299	5.9%	(3.2 - 10.7)	6,643	11.0%	(10.0 - 12.1)	NS	112	2.9%	(1.3 - 6.7)	2,693	7.4%	(6.2 - 8.9)	NS	187	8.7%	(4.1 - 17.4)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	293	1.7%	(0.6 - 4.6)	6,555	3.2%	(2.6 - 3.9)	NS	109	0.6%	(0.1 - 4.1)	2,657	2.5%	(1.8 - 3.7)	NS	184	2.7%	(0.9 - 8.2)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	813	56.2%	(51.8 - 60.5)	24,051	61.8%	(60.9 - 62.7)	-	311	64.7%	(57.9 - 70.9)	9,597	67.7%	(66.4 - 69.1)	NS	502	48.6%	(43.1 - 54.2)	14,454	56.2%	(55.0 - 57.4)	-	Yes
2012	600	54.5%	(49.1 - 59.9)	18,891	61.3%	(60.3 - 62.3)	-	235	65.5%	(57.4 - 72.9)	7,749	68.7%	(67.2 - 70.1)	NS	365	43.9%	(37.0 - 51.1)	11,142	54.2%	(52.8 - 55.6)	-	Yes
2013	604	50.7%	(45.4 - 56.0)	16,614	57.5%	(56.2 - 58.7)	-	259	60.7%	(52.2 - 68.7)	6,754	63.3%	(61.4 - 65.2)	NS	345	41.4%	(35.1 - 48.1)	9,860	51.8%	(50.2 - 53.5)	-	Yes
2014	915	58.0%	(54.1 - 61.7)	21,612	59.2%	(58.1 - 60.3)	NS	402	66.3%	(60.8 - 71.4)	9,246	65.2%	(63.6 - 66.8)	NS	513	49.8%	(44.6 - 55.1)	12,366	53.4%	(52.0 - 54.9)	NS	Yes
2015	673	57.8%	(53.1 - 62.2)	16,939	57.6%	(56.4 - 58.8)	NS	294	64.1%	(57.5 - 70.3)	7,282	63.8%	(62.0 - 65.5)	NS	379	51.5%	(45.0 - 57.9)	9,657	51.6%	(50.0 - 53.2)	NS	No
2016	631	53.7%	(49.0 - 58.4)	14,723	59.8%	(58.5 - 61.0)	-	293	60.7%	(53.8 - 67.2)	6,421	68.0%	(66.1 - 69.8)	NS	338	46.9%	(40.5 - 53.4)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
2017	601	53.6%	(48.9 - 58.1)	14,640	60.2%	(58.9 - 61.4)	-	302	58.7%	(52.0 - 65.1)	6,630	66.2%	(64.5 - 68.0)	NS	299	48.4%	(41.9 - 55.0)	8,004	54.3%	(52.5 - 56.0)	NS	No
Binge drank in past 30 days ^a																						
2011	811	22.8%	(19.1 - 26.9)	23,948	22.7%	(21.9 - 23.5)	NS	309	31.9%	(25.7 - 38.9)	9,533	30.2%	(28.9 - 31.5)	NS	502	14.6%	(10.9 - 19.4)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	590	20.0%	(15.5 - 25.5)	18,742	22.1%	(21.3 - 23.0)	NS	229	30.6%	(22.9 - 39.5)	7,664	29.1%	(27.6 - 30.5)	NS	361	10.4%	(6.3 - 16.7)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	602	17.1%	(13.3 - 21.6)	16,500	20.0%	(19.0 - 21.1)	NS	258	24.1%	(17.7 - 31.8)	6,687	25.2%	(23.6 - 26.9)	NS	344	10.7%	(6.9 - 16.1)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	908	20.2%	(17.1 - 23.8)	21,443	20.3%	(19.4 - 21.3)	NS	399	28.5%	(23.5 - 34.2)	9,149	26.8%	(25.3 - 28.3)	NS	509	12.1%	(8.8 - 16.3)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	671	19.9%	(16.2 - 24.3)	16,832	19.5%	(18.5 - 20.5)	NS	294	24.2%	(18.7 - 30.8)	7,216	26.0%	(24.4 - 27.8)	NS	377	15.7%	(11.0 - 22.0)	9,616	13.1%	(12.0 - 14.3)	NS	No
2016	627	14.8%	(11.7 - 18.6)	14,620	20.0%	(18.9 - 21.1)	-	291	21.2%	(16.1 - 27.5)	6,367	27.2%	(25.4 - 29.0)	NS	336	8.5%	(5.5 - 12.9)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
2017	598	16.1%	(12.8 - 20.1)	14,534	20.6%	(19.5 - 21.7)	NS	299	21.4%	(16.4 - 27.4)	6,562	27.3%	(25.6 - 29.0)	NS	299	10.9%	(7.0 - 16.6)	7,966	14.2%	(12.9 - 15.6)	NS	No
Heavy drinking in past 30 days																						
2011	808	7.0%	(5.0 - 9.6)	23,906	7.5%	(7.0 - 8.1)	NS	307	9.6%	(6.1 - 14.8)	9,514	9.2%	(8.4 - 10.2)	NS	501	4.6%	(3.0 - 7.1)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	588	7.8%	(4.9 - 12.1)	18,738	7.2%	(6.6 - 7.7)	NS	227	9.1%	(4.9 - 16.3)	7,668	8.5%	(7.7 - 9.4)	NS	361	6.6%	(3.2 - 13.0)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	600	4.1%	(2.4 - 6.9)	16,513	6.8%	(6.2 - 7.5)	NS	258	5.8%	(3.1 - 10.7)	6,698	7.3%	(6.4 - 8.3)	NS	342	2.5%	(1.0 - 6.3)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	908	6.2%	(4.5 - 8.6)	21,447	6.4%	(5.9 - 7.0)	NS	396	8.0%	(5.1 - 12.3)	9,158	7.5%	(6.7 - 8.5)	NS	512	4.6%	(2.9 - 7.2)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	669	6.3%	(4.4 - 8.9)	16,815	5.7%	(5.1 - 6.4)	NS	293	7.1%	(4.4 - 11.4)	7,214	7.0%	(6.0 - 8.1)	NS	376	5.5%	(3.3 - 9.0)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	628	5.2%	(3.5 - 7.5)	14,634	6.6%	(5.9 - 7.3)	NS	292	7.1%	(4.5 - 10.9)	6,376	8.0%	(7.0 - 9.1)	NS	336	3.3%	(1.6 - 6.6)	8,258	5.2%	(4.4 - 6.2)	NS	No
2017	598	5.7%	(3.9 - 8.3)	14,534	7.0%	(6.3 - 7.7)	NS	299	8.0%	(5.0 - 12.5)	6,566	8.2%	(7.2 - 9.3)	NS	299	3.5%	(1.8 - 6.6)	7,963	5.8%	(4.9 - 6.7)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	601	3.3%	(1.7 - 6.2)	18,895	3.4%	(3.1 - 3.8)	NS	234	6.3%	(3.2 - 12.1)	7,741	5.5%	(4.9 - 6.3)	NS	367	0.4%	(0.1 - 1.6)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	912	2.7%	(1.7 - 4.3)	21,627	2.5%	(2.2 - 2.9)	NS	400	4.2%	(2.4 - 7.0)	9,242	4.2%	(3.5 - 4.9)	NS	512	1.3%	(0.5 - 3.4)	12,385	1.0%	(0.7 - 1.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	628	2.9%	(1.5 - 5.5)	14,666	3.4%	(2.9 - 3.9)	NS	290	5.0%	(2.4 - 10.1)	6,383	5.1%	(4.3 - 6.0)	NS	338	0.9%	(0.3 - 2.9)	8,283	1.7%	(1.3 - 2.4)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	South Heartland		State of NE			South Heartland		State of NE			South Heartland		State of NE									
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d							
Had a tetanus vaccination since 2005																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	532	56.3%	(50.4 - 61.9)	14,650	60.2%	(58.9 - 61.5)	NS	222	58.8%	(49.3 - 67.7)	6,015	63.1%	(61.1 - 65.0)	NS	310	53.9%	(46.7 - 60.9)	8,635	57.4%	(55.6 - 59.1)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	577	64.4%	(59.5 - 69.0)	13,574	64.2%	(62.9 - 65.4)	NS	270	68.2%	(60.9 - 74.6)	5,939	67.5%	(65.5 - 69.3)	NS	307	60.7%	(53.9 - 67.1)	7,635	60.9%	(59.2 - 62.7)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Ever had a shingles vaccination, aged 50 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	611	32.9%	(28.9 - 37.1)	14,246	27.9%	(26.9 - 28.9)	NS	253	34.7%	(28.5 - 41.4)	5,892	25.7%	(24.2 - 27.3)	+	358	31.3%	(26.4 - 36.6)	8,354	29.8%	(28.4 - 31.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2017	389	35.2%	(30.3 - 40.4)	8,982	35.2%	(33.8 - 36.7)	NS	184	35.9%	(29.0 - 43.4)	3,839	32.5%	(30.4 - 34.7)	NS	205	34.6%	(28.0 - 41.9)	5,140	37.6%	(35.7 - 39.6)	NS	No
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																						
2011	485	25.1%	(20.7 - 30.0)	15,561	30.8%	(29.7 - 31.8)	NS	198	21.2%	(15.3 - 28.7)	6,612	28.4%	(27.0 - 29.9)	NS	287	28.6%	(22.6 - 35.4)	8,949	33.1%	(31.7 - 34.6)	NS	No
2012	338	27.3%	(21.6 - 33.7)	11,879	30.9%	(29.8 - 32.1)	NS	142	23.4%	(16.0 - 32.8)	5,254	27.9%	(26.3 - 29.5)	NS	196	31.2%	(23.3 - 40.3)	6,625	34.0%	(32.4 - 35.7)	NS	No
2013	346	24.5%	(19.2 - 30.8)	10,049	31.8%	(30.3 - 33.3)	NS	149	20.1%	(13.1 - 29.7)	4,304	29.1%	(27.0 - 31.3)	NS	197	28.8%	(21.4 - 37.5)	5,745	34.4%	(32.5 - 36.4)	NS	No
2014	559	26.6%	(22.4 - 31.2)	13,474	30.9%	(29.6 - 32.2)	NS	255	24.4%	(18.9 - 30.8)	6,042	28.6%	(26.8 - 30.5)	NS	304	28.8%	(22.9 - 35.5)	7,432	33.2%	(31.4 - 35.0)	NS	No
2015	388	27.3%	(22.1 - 33.1)	10,152	32.0%	(30.6 - 33.5)	NS	178	26.8%	(19.8 - 35.1)	4,604	29.2%	(27.2 - 31.4)	NS	210	27.8%	(20.6 - 36.3)	5,548	34.9%	(32.9 - 36.9)	NS	No
2016	387	28.3%	(23.4 - 33.7)	9,145	31.9%	(30.4 - 33.5)	NS	185	29.1%	(22.2 - 37.0)	4,263	28.5%	(26.4 - 30.7)	NS	202	27.5%	(21.0 - 35.2)	4,882	35.4%	(33.2 - 37.6)	NS	No
2017	343	24.5%	(19.7 - 30.0)	8,825	31.9%	(30.4 - 33.4)	-	175	23.6%	(17.4 - 31.1)	4,176	29.0%	(26.9 - 31.2)	NS	168	25.5%	(18.6 - 34.0)	4,647	34.8%	(32.7 - 37.0)	NS	No
Oral Health																						
Visited a dentist or dental clinic for any reason in past year ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	601	67.9%	(62.4 - 72.9)	19,052	67.6%	(66.6 - 68.5)	NS	236	68.7%	(60.6 - 75.9)	7,827	64.2%	(62.7 - 65.6)	NS	365	67.0%	(59.4 - 73.8)	11,225	70.9%	(69.6 - 72.1)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	935	61.6%	(57.8 - 65.2)	22,258	66.4%	(65.4 - 67.4)	-	413	59.8%	(54.2 - 65.2)	9,544	63.2%	(61.7 - 64.8)	NS	522	63.2%	(58.0 - 68.2)	12,714	69.5%	(68.1 - 70.8)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	649	64.7%	(60.1 - 69.0)	15,089	68.7%	(67.5 - 69.9)	NS	301	57.5%	(50.8 - 64.0)	6,597	65.9%	(64.1 - 67.7)	-	348	71.9%	(65.9 - 77.2)	8,492	71.4%	(69.8 - 73.0)	NS	Yes
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Had any permanent teeth extracted due to tooth decay or gum disease																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	597	42.2%	(37.1 - 47.5)	18,824	39.8%	(38.8 - 40.8)	NS	234	40.8%	(33.2 - 48.9)	7,750	39.2%	(37.7 - 40.6)	NS	363	43.6%	(36.9 - 50.6)	11,074	40.4%	(39.1 - 41.7)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	929	44.9%	(41.2 - 48.7)	22,085	39.1%	(38.1 - 40.1)	+	412	49.2%	(43.6 - 54.8)	9,490	39.4%	(37.9 - 40.9)	+	517	40.6%	(35.8 - 45.6)	12,595	38.9%	(37.5 - 40.2)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	642	44.8%	(40.3 - 49.3)	14,988	38.2%	(37.0 - 39.4)	+	300	47.3%	(40.8 - 53.9)	6,559	37.6%	(35.8 - 39.3)	+	342	42.2%	(36.2 - 48.5)	8,429	38.9%	(37.3 - 40.5)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	223	42.5%	(35.2 - 50.2)	7,138	47.7%	(46.1 - 49.3)	NS	93	39.7%	(28.7 - 51.8)	3,077	48.7%	(46.3 - 51.1)	NS	130	45.2%	(35.7 - 55.0)	4,061	46.7%	(44.6 - 48.8)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2014	344	49.7%	(43.9 - 55.5)	8,200	45.9%	(44.3 - 47.5)	NS	150	56.5%	(47.7 - 64.9)	3,631	47.5%	(45.1 - 50.0)	NS	194	43.4%	(35.9 - 51.1)	4,569	44.3%	(42.1 - 46.5)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2016	222	48.8%	(41.5 - 56.2)	5,356	45.1%	(43.1 - 47.1)	NS	106	54.0%	(43.3 - 64.4)	2,446	46.4%	(43.5 - 49.3)	NS	116	43.1%	(33.6 - 53.1)	2,910	43.8%	(41.2 - 46.5)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

Indicators	Overall						Men						Women						LHD Gender Diff. ^o				
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	254	15.2%	(10.4 - 21.8)	6,502	13.4%	(12.3 - 14.5)	NS	89	13.5%	(6.6 - 25.4)	2,313	12.0%	(10.3 - 13.9)	NS	165	16.8%	(10.9 - 25.1)	4,189	14.4%	(13.0 - 16.0)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	325	15.3%	(11.5 - 20.0)	7,657	14.1%	(13.0 - 15.2)	NS	136	9.5%	(5.4 - 16.1)	3,010	14.4%	(12.8 - 16.3)	NS	189	20.5%	(14.9 - 27.6)	4,647	13.8%	(12.5 - 15.2)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	229	14.9%	(10.2 - 21.2)	5,179	13.2%	(11.9 - 14.6)	NS	104	15.9%	(8.9 - 26.8)	1,993	10.6%	(9.0 - 12.5)	NS	125	13.8%	(8.6 - 21.5)	3,186	15.3%	(13.5 - 17.3)	NS	No	
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	108	14.0%	(7.3 - 25.3)	3,149	11.3%	(9.9 - 12.8)	NS	43	-*	-*	-*	1,268	9.3%	(7.5 - 11.4)	NA	65	11.5%	(5.4 - 22.7)	1,881	13.1%	(11.1 - 15.3)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	184	12.4%	(8.0 - 18.8)	4,089	10.9%	(9.6 - 12.3)	NS	86	7.3%	(3.3 - 15.3)	1,804	12.0%	(9.9 - 14.4)	NS	98	17.7%	(10.5 - 28.3)	2,285	9.8%	(8.3 - 11.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	129	12.2%	(7.4 - 19.4)	2,815	10.4%	(9.0 - 12.0)	NS	64	8.2%	(3.4 - 18.4)	1,168	8.8%	(6.9 - 11.2)	NS	65	16.6%	(9.0 - 28.7)	1,647	11.8%	(9.9 - 14.1)	NS	No	
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	589	63.4%	(58.5 - 67.9)	13,764	67.4%	(66.1 - 68.6)	NS	267	57.1%	(49.9 - 64.0)	6,092	63.9%	(62.0 - 65.8)	NS	322	69.2%	(62.9 - 74.9)	7,672	70.8%	(69.1 - 72.5)	NS	No	
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eye Care Access and Utilization																							
No health insurance coverage for eye care, aged 40 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	109	50.8%	(39.4 - 62.2)	2,824	42.1%	(39.4 - 44.8)	NS	51	56.4%	(39.9 - 71.6)	1,204	42.5%	(38.4 - 46.8)	NS	58	45.9%	(30.8 - 61.8)	1,620	41.6%	(38.2 - 45.2)	NS	No	
2017	451	49.2%	(44.1 - 54.4)	10,552	43.6%	(42.1 - 45.0)	NS	222	47.6%	(40.5 - 54.8)	4,602	44.1%	(41.9 - 46.2)	NS	229	50.7%	(43.3 - 58.1)	5,945	43.1%	(41.2 - 45.0)	NS	No	
Had eye exam by doctor or eye care provider in past year, aged 40 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	111	66.1%	(54.9 - 75.7)	2,863	61.4%	(58.6 - 64.1)	NS	51	65.5%	(49.3 - 78.7)	1,220	58.2%	(53.9 - 62.4)	NS	60	66.6%	(50.6 - 79.5)	1,643	64.2%	(60.6 - 67.7)	NS	No	
2017	458	60.3%	(55.1 - 65.3)	10,704	61.4%	(59.9 - 62.8)	NS	225	56.7%	(49.4 - 63.6)	4,670	57.9%	(55.7 - 60.0)	NS	233	63.6%	(56.1 - 70.5)	6,029	64.5%	(62.6 - 66.4)	NS	No	
Social Context																							
Housing insecurity in past year, among those who own or rent their home ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	264	26.7%	(19.8 - 34.9)	6,089	26.6%	(25.0 - 28.3)	NS	99	26.2%	(16.4 - 39.1)	2,481	24.7%	(22.3 - 27.3)	NS	165	27.1%	(18.2 - 38.4)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	261	26.1%	(20.1 - 33.2)	7,324	28.8%	(27.1 - 30.5)	NS	111	25.3%	(16.5 - 36.7)	2,961	25.0%	(22.5 - 27.7)	NS	150	26.9%	(19.3 - 36.1)	4,363	32.3%	(30.0 - 34.7)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	301	23.7%	(17.7 - 30.9)	7,461	28.5%	(26.8 - 30.2)	NS	120	22.6%	(14.1 - 34.2)	3,109	26.6%	(24.2 - 29.2)	NS	181	24.7%	(17.0 - 34.5)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Food insecurity in past year[^]																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	297	18.6%	(12.9 - 26.2)	6,621	17.6%	(16.2 - 19.0)	NS	111	12.8%	(6.2 - 24.6)	2,684	13.9%	(12.1 - 16.0)	NS	186	23.8%	(15.6 - 34.5)	3,937	21.1%	(19.1 - 23.2)	NS	No
2013	276	16.2%	(11.5 - 22.5)	7,828	19.0%	(17.6 - 20.6)	NS	119	11.0%	(5.4 - 21.1)	3,159	15.4%	(13.4 - 17.7)	NS	157	21.5%	(14.7 - 30.3)	4,669	22.5%	(20.5 - 24.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	321	16.5%	(11.6 - 23.0)	7,918	21.0%	(19.5 - 22.5)	NS	130	15.9%	(8.7 - 27.3)	3,309	17.9%	(15.8 - 20.2)	NS	191	17.1%	(11.3 - 25.0)	4,609	24.0%	(22.1 - 26.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caregiving																						
Provided regular care/assistance in past month to friend or family member with health issue																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	309	27.0%	(21.0 - 33.9)	7,883	24.7%	(23.2 - 26.2)	NS	144	20.0%	(13.1 - 29.2)	3,434	21.1%	(19.1 - 23.4)	NS	165	33.1%	(24.4 - 43.1)	4,449	28.0%	(25.9 - 30.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cognitive Decline																						
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	225	10.5%	(6.7 - 16.1)	5,767	9.4%	(8.4 - 10.5)	NS	108	7.2%	(3.5 - 14.4)	2,436	10.2%	(8.7 - 12.0)	NS	117	13.7%	(7.9 - 22.8)	3,331	8.6%	(7.3 - 10.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inadequate Sleep																						
Get less than 7 hours of sleep per day																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	618	29.6%	(24.7 - 35.0)	16,972	31.8%	(30.6 - 33.0)	NS	269	35.1%	(27.2 - 43.9)	6,927	32.6%	(30.8 - 34.4)	NS	349	24.1%	(18.9 - 30.3)	10,045	31.0%	(29.5 - 32.6)	NS	No
2014	932	29.6%	(26.0 - 33.3)	22,172	30.0%	(29.0 - 31.0)	NS	412	29.2%	(24.2 - 34.8)	9,527	30.7%	(29.2 - 32.2)	NS	520	29.9%	(25.1 - 35.2)	12,645	29.4%	(28.1 - 30.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	649	28.0%	(24.2 - 32.2)	15,097	29.6%	(28.4 - 30.8)	NS	301	28.1%	(22.8 - 34.2)	6,610	29.7%	(27.9 - 31.5)	NS	348	28.0%	(22.7 - 33.9)	8,487	29.5%	(27.9 - 31.2)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Average hours of sleep per day																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	618	7.2	(7.1 - 7.4)	16,972	7.1	(7.0 - 7.1)	NS	269	7.1	(6.9 - 7.3)	6,927	7.0	(7.0 - 7.1)	NS	349	7.3	(7.1 - 7.5)	10,045	7.1	(7.0 - 7.1)	NS	No
2014	932	7.1	(7.0 - 7.2)	22,172	7.1	(7.0 - 7.1)	NS	412	7.1	(7.0 - 7.3)	9,527	7.0	(7.0 - 7.1)	NS	520	7.1	(7.0 - 7.3)	12,645	7.1	(7.1 - 7.1)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	649	7.1	(7.0 - 7.2)	15,097	7.1	(7.1 - 7.1)	NS	301	7.2	(7.0 - 7.4)	6,610	7.1	(7.0 - 7.2)	NS	348	7.0	(6.9 - 7.2)	8,487	7.1	(7.1 - 7.2)	NS	No
2017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^o			
	South Heartland			State of NE			South Heartland			State of NE			South Heartland			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	182	7.2%	(3.7 - 13.5)	4,952	4.8%	(3.9 - 5.8)	NS	77	11.8%	(5.6 - 23.4)	2,246	6.1%	(4.8 - 7.7)	NS	105	2.3%	(0.6 - 8.1)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	281	5.8%	(3.1 - 10.7)	6,966	4.9%	(4.1 - 5.9)	NS	149	6.6%	(3.0 - 14.0)	3,403	5.4%	(4.4 - 6.7)	NS	132	4.7%	(1.6 - 13.0)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	215	7.6%	(3.5 - 16.0)	5,434	5.7%	(4.7 - 6.8)	NS	114	14.8%	(6.8 - 29.4)	2,727	7.1%	(5.6 - 9.0)	NS	101	0.3%	(0.0 - 2.3)	2,707	3.9%	(2.9 - 5.3)	-	Yes
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2017	204	2.7%	(1.3 - 5.7)	4,448	4.8%	(3.9 - 5.9)	NS	118	3.3%	(1.3 - 7.9)	2,326	5.7%	(4.4 - 7.5)	NS	86	1.8%	(0.4 - 6.9)	2,122	3.5%	(2.5 - 5.0)	NS	No
Health Literacy																						
Very easy to get needed advice or information about health or medical topics																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	558	73.7%	(68.9 - 78.0)	13,023	73.6%	(72.3 - 74.8)	NS	251	68.9%	(61.1 - 75.7)	5,525	71.0%	(69.0 - 72.9)	NS	307	78.1%	(72.3 - 83.0)	7,498	75.9%	(74.3 - 77.5)	NS	No
2017	510	71.1%	(66.3 - 75.5)	12,368	74.7%	(73.4 - 75.9)	NS	252	65.9%	(58.6 - 72.5)	5,429	73.2%	(71.3 - 74.9)	NS	258	76.0%	(69.5 - 81.4)	6,935	76.0%	(74.4 - 77.6)	NS	No
Very easy to understand information that medical professions tell you																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	603	57.1%	(52.3 - 61.7)	14,129	59.1%	(57.8 - 60.4)	NS	279	50.6%	(43.7 - 57.4)	6,127	55.8%	(53.8 - 57.8)	NS	324	63.5%	(57.0 - 69.6)	8,002	62.2%	(60.5 - 64.0)	NS	No
2017	551	53.4%	(48.5 - 58.3)	13,583	59.6%	(58.2 - 60.8)	NS	271	51.9%	(44.9 - 58.8)	6,099	56.4%	(54.5 - 58.3)	NS	280	54.8%	(47.9 - 61.6)	7,479	62.6%	(60.8 - 64.3)	NS	No
Very easy to understand written health information																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	546	51.2%	(46.1 - 56.3)	12,945	59.7%	(58.3 - 61.0)	-	249	43.4%	(36.3 - 50.7)	5,491	55.1%	(53.0 - 57.2)	-	297	58.6%	(51.5 - 65.4)	7,454	63.9%	(62.1 - 65.7)	NS	Yes
2017	493	53.5%	(48.3 - 58.6)	12,370	59.6%	(58.3 - 61.0)	NS	232	48.6%	(41.1 - 56.1)	5,422	55.0%	(53.0 - 57.0)	NS	261	57.8%	(50.7 - 64.6)	6,944	63.9%	(62.1 - 65.7)	NS	No

Note: Data reflect the four county LHD region of Adams, Clay, Nuckolls, and Webster Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

^g 2017 data are not comparable to earlier years due to changes in question wording on the 2017 survey

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); November 2018

