

BRFSS Detailed Summary Table for South Heartland District Health Department Adults 18 and Older, 2011-2013

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>o</sup>			
	South Heartland District			State of NE			South Heartland District			State of NE			South Heartland District			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>General Health Status</b>																						
General health fair or poor																						
2011	872	17.3%	(14.4 - 20.7)	25,347	14.3%	(13.7 - 14.9)	NS	338	17.8%	(13.7 - 22.9)	10,198	14.8%	(13.9 - 15.7)	NS	534	16.8%	(13.0 - 21.5)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	605	13.8%	(10.6 - 17.8)	19,132	14.4%	(13.7 - 15.2)	NS	236	11.2%	(7.5 - 16.3)	7,855	14.6%	(13.5 - 15.7)	NS	369	16.3%	(11.4 - 22.6)	11,277	14.3%	(13.4 - 15.2)	NS	No
2013	621	16.8%	(13.3 - 20.9)	17,106	13.9%	(13.1 - 14.8)	NS	267	18.1%	(12.7 - 25.2)	6,963	13.4%	(12.2 - 14.7)	NS	354	15.4%	(11.6 - 20.2)	10,143	14.4%	(13.3 - 15.6)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	860	3.1	(2.6 - 3.7)	24,901	3.2	(3.0 - 3.3)	NS	337	3.1	(2.2 - 4.0)	10,067	2.9	(2.7 - 3.1)	NS	523	3.2	(2.5 - 3.8)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	599	3.5	(2.7 - 4.4)	18,819	3.2	(3.1 - 3.4)	NS	235	3.0	(1.8 - 4.1)	7,759	2.9	(2.7 - 3.1)	NS	364	4.1	(2.9 - 5.2)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	610	3.6	(2.8 - 4.5)	16,808	3.1	(2.9 - 3.3)	NS	264	3.8	(2.4 - 5.2)	6,877	2.8	(2.5 - 3.0)	NS	346	3.4	(2.5 - 4.4)	9,931	3.4	(3.2 - 3.7)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	860	10.1%	(8.2 - 12.6)	24,901	9.6%	(9.1 - 10.1)	NS	337	10.4%	(7.4 - 14.2)	10,067	9.0%	(8.3 - 9.8)	NS	523	9.9%	(7.5 - 13.2)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	599	11.2%	(8.2 - 15.2)	18,819	9.8%	(9.2 - 10.4)	NS	235	9.9%	(5.8 - 16.4)	7,759	8.6%	(7.8 - 9.5)	NS	364	12.6%	(8.6 - 18.0)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	610	10.8%	(8.1 - 14.3)	16,808	9.2%	(8.5 - 9.9)	NS	264	11.1%	(6.9 - 17.3)	6,877	7.9%	(7.0 - 8.9)	NS	346	10.6%	(7.5 - 14.7)	9,931	10.4%	(9.4 - 11.5)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	858	3.4	(2.7 - 4.0)	25,036	3.1	(2.9 - 3.2)	NS	332	2.9	(2.1 - 3.8)	10,097	2.5	(2.3 - 2.7)	NS	526	3.8	(2.9 - 4.7)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	592	2.5	(1.8 - 3.2)	18,935	3.0	(2.9 - 3.2)	NS	231	1.7	(0.8 - 2.5)	7,786	2.6	(2.4 - 2.8)	NS	361	3.4	(2.3 - 4.5)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	615	2.7	(1.9 - 3.6)	16,889	3.0	(2.8 - 3.1)	NS	266	2.8	(1.6 - 4.1)	6,889	2.3	(2.1 - 2.6)	NS	349	2.7	(1.6 - 3.7)	10,000	3.5	(3.3 - 3.8)	NS	No
Mental health was not good on 14 or more of the past 30 days																						
2011	858	11.0%	(8.6 - 14.0)	25,036	9.2%	(8.7 - 9.7)	NS	332	9.4%	(6.2 - 14.0)	10,097	7.7%	(7.0 - 8.4)	NS	526	12.5%	(9.2 - 16.9)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	592	7.2%	(4.8 - 10.7)	18,935	9.0%	(8.4 - 9.7)	NS	231	5.0%	(2.4 - 10.3)	7,786	7.4%	(6.6 - 8.3)	NS	361	9.4%	(5.9 - 14.7)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	615	9.0%	(6.1 - 13.0)	16,889	8.9%	(8.2 - 9.6)	NS	266	9.2%	(5.1 - 16.1)	6,889	6.8%	(5.9 - 7.9)	NS	349	8.8%	(5.3 - 14.1)	10,000	10.9%	(9.8 - 12.0)	NS	No
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	864	1.6	(1.2 - 1.9)	25,183	1.9	(1.8 - 2.0)	NS	336	1.5	(1.0 - 2.0)	10,136	1.7	(1.6 - 1.9)	NS	528	1.6	(1.2 - 2.1)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	601	1.8	(1.1 - 2.4)	19,022	2.0	(1.8 - 2.1)	NS	236	0.9	(0.4 - 1.5)	7,819	1.7	(1.5 - 1.9)	-	365	2.5	(1.5 - 3.6)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	619	2.2	(1.6 - 2.9)	16,986	1.9	(1.7 - 2.0)	NS	269	2.4	(1.3 - 3.6)	6,936	1.7	(1.5 - 1.9)	NS	350	2.1	(1.3 - 2.8)	10,050	2.0	(1.9 - 2.2)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	864	4.4%	(3.3 - 6.0)	25,183	5.8%	(5.4 - 6.2)	NS	336	3.9%	(2.4 - 6.3)	10,136	5.4%	(4.8 - 6.0)	NS	528	4.9%	(3.3 - 7.3)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	601	5.6%	(3.6 - 8.6)	19,022	6.4%	(5.9 - 6.9)	NS	236	2.6%	(1.2 - 5.7)	7,819	5.3%	(4.7 - 6.0)	NS	365	8.4%	(5.0 - 13.7)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	619	7.1%	(4.9 - 10.1)	16,986	5.8%	(5.3 - 6.4)	NS	269	8.1%	(4.6 - 13.9)	6,936	5.2%	(4.4 - 6.1)	NS	350	6.1%	(4.0 - 9.1)	10,050	6.5%	(5.7 - 7.3)	NS	No
<b>Health Care Access and Utilization</b>																						
No health care coverage, 18-64 year olds																						
2011	530	19.1%	(15.0 - 23.9)	16,614	19.1%	(18.3 - 20.0)	NS	223	23.2%	(16.8 - 31.1)	7,107	22.0%	(20.7 - 23.4)	NS	307	15.0%	(10.5 - 20.9)	9,507	16.2%	(15.2 - 17.3)	NS	No
2012	344	19.3%	(13.9 - 26.1)	12,310	18.0%	(17.0 - 19.0)	NS	146	16.9%	(10.1 - 26.9)	5,450	20.3%	(18.8 - 21.8)	NS	198	21.7%	(14.2 - 31.8)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	387	18.0%	(13.1 - 24.3)	10,939	17.6%	(16.4 - 18.9)	NS	172	18.9%	(11.6 - 29.4)	4,720	18.4%	(16.6 - 20.4)	NS	215	17.1%	(11.5 - 24.7)	6,219	16.9%	(15.3 - 18.5)	NS	No
No personal doctor or health care provider																						
2011	870	15.3%	(12.0 - 19.3)	25,340	18.4%	(17.6 - 19.1)	NS	336	20.9%	(15.6 - 27.4)	10,192	25.1%	(23.8 - 26.3)	NS	534	10.2%	(6.5 - 15.5)	15,148	12.0%	(11.1 - 12.8)	NS	Yes
2012	604	11.8%	(8.2 - 16.8)	19,132	17.2%	(16.4 - 18.1)	NS	235	13.3%	(8.0 - 21.3)	7,847	23.7%	(22.3 - 25.1)	-	369	10.4%	(6.0 - 17.4)	11,285	11.0%	(10.1 - 12.0)	NS	No
2013	622	19.5%	(14.6 - 25.5)	17,093	20.9%	(19.8 - 22.0)	NS	268	27.6%	(19.7 - 37.1)	6,956	27.5%	(25.7 - 29.4)	NS	354	11.5%	(6.7 - 19.1)	10,137	14.4%	(13.2 - 15.7)	NS	Yes
Needed to see a doctor but could not due to cost in past year																						
2011	873	11.7%	(9.1 - 14.9)	25,350	12.5%	(11.9 - 13.2)	NS	340	9.7%	(6.3 - 14.4)	10,203	10.7%	(9.9 - 11.6)	NS	533	13.6%	(9.9 - 18.4)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	603	9.5%	(6.5 - 13.5)	19,144	12.8%	(12.1 - 13.6)	NS	235	5.3%	(2.8 - 9.7)	7,859	11.1%	(10.0 - 12.2)	-	368	13.5%	(8.7 - 20.4)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	623	8.7%	(6.3 - 11.9)	17,103	13.0%	(12.1 - 13.9)	-	269	6.7%	(4.0 - 11.3)	6,963	10.9%	(9.7 - 12.2)	NS	354	10.6%	(7.1 - 15.7)	10,140	15.0%	(13.8 - 16.4)	NS	No
Had a routine checkup in past year																						
2011	862	56.9%	(52.6 - 61.1)	24,983	57.7%	(56.8 - 58.7)	NS	335	50.5%	(43.9 - 57.0)	10,049	50.6%	(49.2 - 52.0)	NS	527	62.9%	(57.3 - 68.1)	14,934	64.6%	(63.4 - 65.8)	NS	Yes
2012	603	63.0%	(57.6 - 68.2)	18,929	60.4%	(59.4 - 61.4)	NS	237	63.3%	(54.8 - 71.0)	7,789	55.0%	(53.5 - 56.6)	NS	366	62.8%	(55.6 - 69.5)	11,140	65.6%	(64.3 - 66.9)	NS	No
2013	616	61.8%	(56.2 - 67.1)	16,919	61.6%	(60.4 - 62.8)	NS	264	54.7%	(46.2 - 63.0)	6,899	56.2%	(54.3 - 58.1)	NS	352	68.5%	(61.6 - 74.7)	10,020	66.8%	(65.3 - 68.4)	NS	No
<b>Heart Disease and Stroke</b>																						
Ever told they had a heart attack																						
2011	874	4.6%	(3.4 - 6.3)	25,292	4.3%	(4.0 - 4.7)	NS	340	6.9%	(4.6 - 10.1)	10,194	5.7%	(5.2 - 6.3)	NS	534	2.5%	(1.5 - 4.1)	15,098	2.9%	(2.6 - 3.3)	NS	Yes
2012	604	5.3%	(3.5 - 8.1)	19,102	4.1%	(3.7 - 4.4)	NS	235	7.7%	(4.6 - 12.7)	7,842	5.3%	(4.8 - 6.0)	NS	369	3.0%	(1.4 - 6.5)	11,260	2.9%	(2.5 - 3.2)	NS	No
2013	623	7.6%	(5.2 - 11.1)	17,035	4.0%	(3.6 - 4.4)	+	269	10.2%	(6.1 - 16.6)	6,925	5.2%	(4.6 - 5.9)	+	354	5.1%	(3.0 - 8.6)	10,110	2.9%	(2.4 - 3.4)	NS	No
Ever told they have coronary heart disease																						
2011	864	4.1%	(3.1 - 5.6)	25,121	3.9%	(3.6 - 4.2)	NS	337	5.5%	(3.6 - 8.1)	10,110	4.8%	(4.4 - 5.3)	NS	527	2.9%	(1.9 - 4.5)	15,011	3.1%	(2.7 - 3.4)	NS	No
2012	596	5.4%	(3.7 - 7.8)	18,988	3.9%	(3.6 - 4.3)	NS	232	9.0%	(5.8 - 13.7)	7,796	4.9%	(4.4 - 5.5)	+	364	1.9%	(1.0 - 3.6)	11,192	3.0%	(2.6 - 3.4)	NS	Yes
2013	616	5.7%	(4.1 - 7.8)	16,942	4.1%	(3.7 - 4.5)	NS	266	6.7%	(4.3 - 10.3)	6,884	5.1%	(4.5 - 5.8)	NS	350	4.6%	(2.8 - 7.5)	10,058	3.0%	(2.6 - 3.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>					
	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>			
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)		
<u>Ever told they had a heart attack or coronary heart disease</u>																								
2011	864	6.3%	(4.8 - 8.1)	25,024	5.9%	(5.6 - 6.3)	NS	337	9.0%	(6.4 - 12.4)	10,081	7.5%	(6.9 - 8.1)	NS	527	3.8%	(2.5 - 5.6)	14,943	4.5%	(4.1 - 4.9)	NS	Yes		
2012	594	8.5%	(6.1 - 11.7)	18,930	6.0%	(5.6 - 6.4)	NS	230	12.8%	(8.6 - 18.5)	7,772	7.6%	(6.9 - 8.3)	+	364	4.4%	(2.4 - 7.8)	11,158	4.4%	(4.0 - 4.9)	NS	Yes		
2013	616	9.1%	(6.5 - 12.6)	16,853	5.9%	(5.4 - 6.4)	+	266	12.4%	(7.9 - 18.8)	6,835	7.3%	(6.6 - 8.2)	NS	350	5.9%	(3.8 - 9.2)	10,018	4.5%	(3.9 - 5.1)	NS	No		
<u>Ever told they had a stroke</u>																								
2011	873	3.2%	(2.2 - 4.6)	25,355	2.6%	(2.4 - 2.9)	NS	340	4.2%	(2.6 - 6.9)	10,209	2.4%	(2.1 - 2.8)	NS	533	2.2%	(1.4 - 3.5)	15,146	2.8%	(2.5 - 3.2)	NS	No		
2012	606	3.4%	(2.0 - 5.5)	19,118	2.4%	(2.2 - 2.7)	NS	237	2.3%	(0.9 - 5.8)	7,851	2.7%	(2.3 - 3.1)	NS	369	4.4%	(2.4 - 7.8)	11,267	2.2%	(1.9 - 2.6)	NS	No		
2013	622	5.8%	(3.8 - 8.7)	17,080	2.5%	(2.2 - 2.8)	+	269	7.5%	(4.2 - 12.9)	6,954	2.2%	(1.9 - 2.6)	+	353	4.1%	(2.3 - 7.3)	10,126	2.8%	(2.4 - 3.3)	NS	No		
<b>Blood Pressure and Cholesterol</b>																								
<u>Had blood pressure checked in past year</u>																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	278	85.0%	(78.8 - 89.6)	7,804	84.6%	(83.1 - 86.0)	NS	120	80.9%	(70.5 - 88.2)	3,150	81.2%	(78.8 - 83.4)	NS	158	89.0%	(81.6 - 93.7)	4,654	87.8%	(85.8 - 89.5)	NS	No		
<u>Ever told they have high blood pressure (excluding pregnancy)</u>																								
2011	871	35.7%	(31.8 - 39.7)	25,356	28.5%	(27.8 - 29.3)	+	339	39.4%	(33.3 - 45.8)	10,212	30.3%	(29.1 - 31.5)	+	532	32.2%	(27.5 - 37.3)	15,144	26.9%	(25.9 - 27.9)	NS	No		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	621	35.9%	(31.3 - 40.8)	17,085	30.3%	(29.2 - 31.4)	NS	268	38.2%	(31.0 - 45.8)	6,956	32.5%	(30.8 - 34.1)	NS	353	33.7%	(28.1 - 39.9)	10,129	28.2%	(26.9 - 29.6)	NS	No		
<u>Currently taking blood pressure medication, among those ever told they have high BP</u>																								
2011	361	70.9%	(63.2 - 77.6)	9,505	77.9%	(76.5 - 79.2)	NS	152	64.7%	(53.7 - 74.3)	3,877	72.0%	(69.8 - 74.1)	NS	209	78.2%	(67.0 - 86.3)	5,628	84.2%	(82.5 - 85.7)	NS	No		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	262	78.4%	(71.0 - 84.4)	6,747	78.5%	(76.6 - 80.3)	NS	120	77.0%	(66.2 - 85.2)	2,828	73.1%	(70.2 - 75.9)	NS	142	80.0%	(68.8 - 87.8)	3,919	84.5%	(82.3 - 86.4)	NS	No		
<u>Had cholesterol checked in past 5 years</u>																								
2011	839	73.7%	(69.2 - 77.7)	24,606	71.8%	(71.0 - 72.7)	NS	324	66.1%	(59.0 - 72.5)	9,923	67.9%	(66.6 - 69.3)	NS	515	80.6%	(75.1 - 85.1)	14,683	75.6%	(74.5 - 76.7)	NS	Yes		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	603	74.7%	(68.7 - 79.9)	16,649	74.0%	(72.8 - 75.2)	NS	258	72.7%	(63.2 - 80.6)	6,804	71.1%	(69.2 - 72.9)	NS	345	76.7%	(68.9 - 83.0)	9,845	76.9%	(75.3 - 78.4)	NS	No		
<u>Ever told they have high cholesterol, among those who have ever had it checked</u>																								
2011	755	41.4%	(37.3 - 45.6)	20,831	38.3%	(37.3 - 39.3)	NS	272	46.3%	(39.6 - 53.2)	8,015	40.6%	(39.1 - 42.1)	NS	483	37.6%	(32.7 - 42.7)	12,816	36.3%	(35.1 - 37.6)	NS	No		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	532	43.2%	(38.1 - 48.4)	14,365	37.4%	(36.1 - 38.6)	NS	222	43.8%	(36.0 - 52.0)	5,672	40.0%	(38.0 - 41.9)	NS	310	42.5%	(36.3 - 49.0)	8,693	35.0%	(33.5 - 36.6)	NS	No		
<b>Diabetes</b>																								
<u>Ever told they have diabetes (excluding pregnancy)</u>																								
2011	874	7.8%	(6.2 - 9.9)	25,393	8.4%	(7.9 - 8.8)	NS	340	9.1%	(6.5 - 12.6)	10,222	8.6%	(7.9 - 9.3)	NS	534	6.6%	(4.8 - 9.1)	15,171	8.2%	(7.6 - 8.8)	NS	No		
2012	606	9.4%	(6.7 - 12.9)	19,156	8.1%	(7.6 - 8.6)	NS	237	8.3%	(5.1 - 13.1)	7,861	8.3%	(7.6 - 9.1)	NS	369	10.4%	(6.6 - 16.1)	11,295	7.9%	(7.3 - 8.5)	NS	No		
2013	622	11.8%	(9.2 - 15.0)	17,110	9.2%	(8.5 - 9.9)	NS	268	13.1%	(9.1 - 18.4)	6,968	10.1%	(9.0 - 11.2)	NS	354	10.5%	(7.5 - 14.6)	10,142	8.3%	(7.5 - 9.2)	NS	No		
<b>Cancer</b>																								
<u>Ever told they have skin cancer</u>																								
2011	870	7.5%	(6.0 - 9.4)	25,359	5.6%	(5.3 - 6.0)	NS	340	9.0%	(6.5 - 12.3)	10,205	6.3%	(5.8 - 6.8)	NS	530	6.1%	(4.4 - 8.5)	15,154	5.0%	(4.6 - 5.5)	NS	No		
2012	604	9.3%	(7.1 - 12.1)	19,133	5.6%	(5.2 - 6.0)	+	236	11.0%	(7.6 - 15.7)	7,859	5.8%	(5.3 - 6.4)	+	368	7.7%	(5.1 - 11.4)	11,274	5.4%	(4.9 - 6.0)	NS	No		
2013	620	7.7%	(5.7 - 10.4)	17,087	5.9%	(5.5 - 6.3)	NS	267	7.6%	(5.1 - 11.2)	6,956	6.3%	(5.7 - 7.1)	NS	353	7.8%	(5.0 - 12.2)	10,131	5.4%	(4.9 - 6.0)	NS	No		
<u>Ever told they have cancer other than skin cancer</u>																								
2011	871	8.4%	(6.6 - 10.7)	25,369	6.6%	(6.2 - 7.0)	NS	340	8.6%	(6.0 - 12.1)	10,219	5.0%	(4.6 - 5.5)	+	531	8.3%	(5.9 - 11.5)	15,150	8.1%	(7.5 - 8.6)	NS	No		
2012	604	6.4%	(4.6 - 8.8)	19,136	6.5%	(6.0 - 6.9)	NS	236	5.3%	(3.1 - 8.8)	7,858	5.0%	(4.5 - 5.6)	NS	368	7.5%	(4.9 - 11.3)	11,278	7.9%	(7.2 - 8.5)	NS	No		
2013	622	6.8%	(5.0 - 9.2)	17,104	6.8%	(6.3 - 7.3)	NS	269	5.4%	(3.3 - 8.7)	6,965	5.6%	(5.0 - 6.4)	NS	353	8.2%	(5.4 - 12.0)	10,139	8.0%	(7.3 - 8.8)	NS	No		
<u>Ever told they have cancer (in any form)</u>																								
2011	867	14.3%	(11.9 - 16.9)	25,315	11.2%	(10.7 - 11.7)	+	340	15.2%	(11.8 - 19.4)	10,192	10.1%	(9.5 - 10.8)	+	527	13.4%	(10.4 - 17.0)	15,123	12.2%	(11.5 - 12.9)	NS	No		
2012	602	14.4%	(11.6 - 17.7)	19,100	10.8%	(10.3 - 11.4)	+	235	15.0%	(10.9 - 20.3)	7,846	9.6%	(8.9 - 10.4)	+	367	13.7%	(10.3 - 18.1)	11,254	11.9%	(11.2 - 12.7)	NS	No		
2013	619	12.7%	(10.1 - 15.8)	17,062	11.4%	(10.8 - 12.1)	NS	267	11.7%	(8.4 - 16.1)	6,946	10.6%	(9.7 - 11.6)	NS	352	13.6%	(9.9 - 18.3)	10,116	12.3%	(11.4 - 13.2)	NS	No		
<u>Up-to-date on colon cancer screening, 50-75 year olds</u>																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	310	59.9%	(53.1 - 66.4)	9,022	61.1%	(59.6 - 62.5)	NS	121	63.2%	(52.3 - 72.9)	3,733	58.4%	(56.1 - 60.6)	NS	189	57.1%	(48.4 - 65.3)	5,289	63.6%	(61.7 - 65.4)	NS	No		
2013	315	61.0%	(54.6 - 67.0)	7,979	62.8%	(61.1 - 64.4)	NS	133	58.3%	(48.5 - 67.6)	3,275	61.0%	(58.5 - 63.6)	NS	182	63.2%	(54.8 - 70.8)	4,704	64.4%	(62.2 - 66.6)	NS	No		
<u>Up-to-date on breast cancer screening, female 50-74 year olds</u>																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180	75.8%	(67.3 - 82.7)	5,200	74.9%	(73.2 - 76.5)	NS

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>o</sup>						
	South Heartland District		State of NE			Sig <sup>d</sup>	South Heartland District		State of NE			Sig <sup>d</sup>	South Heartland District		State of NE			Sig <sup>d</sup>				
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)			
<b>Up-to-date on cervical cancer screening, female 21-65 year olds</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2012	-	-	-	-	-	-	-	-	-	-	-	-	128	85.6%	(75.9 - 91.8)	5,055	83.9%	(82.5 - 85.2)				
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
<b>Arthritis</b>																						
<u>Ever told they have arthritis</u>																						
2011	870	26.2%	(23.1 - 29.6)	25,285	23.4%	(22.8 - 24.1)	NS	337	21.7%	(17.4 - 26.8)	10,184	20.1%	(19.2 - 21.1)	NS	533	30.4%	(26.2 - 35.1)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	601	30.6%	(26.4 - 35.3)	19,089	24.6%	(23.8 - 25.4)	+	235	29.3%	(23.0 - 36.6)	7,839	21.5%	(20.3 - 22.6)	+	366	31.9%	(26.4 - 37.9)	11,250	27.7%	(26.6 - 28.8)	NS	No
2013	619	28.5%	(24.4 - 32.9)	17,017	24.7%	(23.8 - 25.7)	NS	268	26.6%	(20.7 - 33.5)	6,925	21.6%	(20.2 - 23.0)	NS	351	30.3%	(25.1 - 36.2)	10,092	27.8%	(26.5 - 29.2)	NS	No
<u>Currently have activity limitations due to arthritis, among those ever told they have arthritis</u>																						
2011	289	47.6%	(40.9 - 54.3)	7,973	45.2%	(43.6 - 46.8)	NS	90	55.2%	(43.6 - 66.2)	2,711	42.6%	(40.0 - 45.2)	NS	199	42.4%	(34.7 - 50.5)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2013	206	45.2%	(37.0 - 53.6)	5,460	42.4%	(40.3 - 44.6)	NS	80	49.4%	(36.2 - 62.7)	1,861	41.0%	(37.4 - 44.6)	NS	126	41.6%	(32.0 - 51.9)	3,599	43.5%	(40.8 - 46.2)	NS	No
<b>Asthma</b>																						
<u>Ever told they have asthma</u>																						
2011	873	10.6%	(8.2 - 13.5)	25,327	11.5%	(10.9 - 12.1)	NS	339	9.4%	(6.5 - 13.5)	10,194	10.5%	(9.6 - 11.3)	NS	534	11.7%	(8.3 - 16.2)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	604	11.5%	(8.5 - 15.4)	19,105	10.8%	(10.2 - 11.5)	NS	236	8.6%	(5.1 - 14.1)	7,847	9.7%	(8.8 - 10.7)	NS	368	14.3%	(9.8 - 20.4)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	622	12.4%	(9.4 - 16.2)	17,068	11.2%	(10.5 - 12.0)	NS	268	13.1%	(8.3 - 20.0)	6,946	9.6%	(8.6 - 10.8)	NS	354	11.8%	(8.6 - 15.9)	10,122	12.8%	(11.7 - 13.9)	NS	No
<u>Currently have asthma</u>																						
2011	871	7.0%	(5.0 - 9.6)	25,257	7.3%	(6.9 - 7.8)	NS	339	5.3%	(3.3 - 8.6)	10,170	6.0%	(5.4 - 6.7)	NS	532	8.5%	(5.5 - 12.8)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	603	8.0%	(5.6 - 11.4)	19,053	7.4%	(6.9 - 7.9)	NS	236	5.3%	(2.9 - 9.5)	7,832	6.1%	(5.4 - 6.9)	NS	367	10.7%	(6.8 - 16.3)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	620	9.1%	(6.6 - 12.5)	17,024	7.3%	(6.7 - 8.0)	NS	268	9.3%	(5.5 - 15.4)	6,930	5.5%	(4.8 - 6.4)	NS	352	8.9%	(6.1 - 12.7)	10,094	9.1%	(8.2 - 10.0)	NS	No
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>																						
<u>Ever told they have COPD</u>																						
2011	866	5.6%	(4.1 - 7.5)	25,280	5.0%	(4.6 - 5.3)	NS	335	5.9%	(3.8 - 9.1)	10,171	4.4%	(3.9 - 4.9)	NS	531	5.3%	(3.5 - 7.8)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	601	5.4%	(3.8 - 7.8)	19,075	5.3%	(4.9 - 5.8)	NS	234	5.6%	(3.3 - 9.2)	7,832	4.7%	(4.1 - 5.3)	NS	367	5.3%	(3.1 - 8.9)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	622	7.5%	(5.1 - 10.7)	17,035	5.3%	(4.9 - 5.8)	NS	268	10.3%	(6.3 - 16.5)	6,932	4.8%	(4.2 - 5.5)	+	354	4.7%	(2.9 - 7.7)	10,103	5.8%	(5.2 - 6.6)	NS	No
<b>Kidney Disease</b>																						
<u>Ever told they have kidney disease</u>																						
2011	873	2.1%	(1.4 - 3.2)	25,345	2.2%	(2.0 - 2.4)	NS	340	1.6%	(0.8 - 3.1)	10,208	2.1%	(1.8 - 2.5)	NS	533	2.6%	(1.6 - 4.4)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	604	4.3%	(2.7 - 6.6)	19,122	2.4%	(2.2 - 2.7)	+	235	3.6%	(1.9 - 6.9)	7,850	2.2%	(1.8 - 2.6)	NS	369	4.9%	(2.7 - 8.6)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	623	1.5%	(0.8 - 2.9)	17,080	2.0%	(1.8 - 2.3)	NS	269	1.2%	(0.3 - 4.1)	6,953	1.9%	(1.5 - 2.4)	NS	354	1.7%	(0.8 - 3.6)	10,127	2.1%	(1.8 - 2.6)	NS	No
<b>Tobacco</b>																						
<u>Current cigarette smoking</u>																						
2011	874	16.3%	(13.3 - 19.8)	25,324	20.0%	(19.3 - 20.7)	NS	340	18.4%	(13.7 - 24.2)	10,189	22.1%	(21.0 - 23.3)	NS	534	14.4%	(10.8 - 18.8)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	602	17.9%	(13.7 - 23.1)	18,985	19.7%	(18.9 - 20.6)	NS	237	20.6%	(14.2 - 28.9)	7,801	21.4%	(20.1 - 22.7)	NS	365	15.3%	(10.3 - 22.0)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	607	16.3%	(12.6 - 20.9)	16,687	18.5%	(17.5 - 19.5)	NS	261	20.7%	(14.5 - 28.7)	6,790	19.8%	(18.3 - 21.4)	NS	346	12.3%	(8.6 - 17.1)	9,897	17.2%	(15.9 - 18.5)	NS	No
<u>Attempted to quit smoking in past year, among current cigarette smokers</u>																						
2011	119	47.9%	(37.1 - 58.9)	4,195	55.6%	(53.5 - 57.7)	NS	54	49.4%	(34.1 - 64.9)	1,914	53.4%	(50.4 - 56.3)	NS	65	46.0%	(31.7 - 61.0)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	77	55.5%	(40.7 - 69.4)	3,023	57.1%	(54.7 - 59.6)	NS	34	59.1%	(39.2 - 76.4)	1,406	55.2%	(51.7 - 58.7)	NS	43	50.9%	(30.5 - 70.9)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	85	62.9%	(49.7 - 74.4)	2,546	57.1%	(54.1 - 60.2)	NS	44	68.6%	(50.8 - 82.2)	1,147	55.9%	(51.5 - 60.3)	NS	41	53.8%	(35.9 - 70.8)	1,399	58.5%	(54.3 - 62.6)	NS	No
<u>Current smokeless tobacco use</u>																						
2011	874	5.6%	(3.6 - 8.7)	25,406	5.6%	(5.2 - 6.0)	NS	340	10.8%	(6.9 - 16.6)	10,231	10.5%	(9.7 - 11.4)	NS	534	0.8%	(0.2 - 3.0)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	604	9.9%	(6.5 - 14.6)	19,041	5.1%	(4.6 - 5.6)	+	236	19.4%	(13.0 - 28.1)	7,828	9.5%	(8.7 - 10.5)	+	368	0.7%	(0.2 - 2.2)	11,213	0.8%	(0.6 - 1.2)	NS	Yes
2013	608	3.8%	(2.3 - 6.3)	16,732	5.3%	(4.7 - 5.9)	NS	261	6.9%	(4.0 - 11.6)	6,813	10.1%	(9.0 - 11.2)	NS	347	1.0%	(0.2 - 3.9)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
<u>Has rule not allowing smoking anywhere inside their home</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2013	276	90.7%	(85.4 - 94.2)	7,750	88.7%	(87.4 - 89.8)	NS	118	92.4%	(86.3 - 95.9)	3,121	88.3%	(86.2 - 90.0)	NS	158	89.0%	(79.5 - 94.4)	4,629	89.1%	(87.5 - 90.5)	NS	No
<b>Overweight and Obesity</b>																						
<u>Obese (BMI=30+)</u>																						
2011	845	29.6%	(25.8 - 33.6)	24,366	28.4%	(27.6 - 29.2)	NS	339	33.2%	(27.3 - 39.6)	10,102	29.2%	(28.0 - 30.4)	NS	506	26.0%	(21.4 - 31.1)	14,264	27.6%	(26.5 - 28.8)	NS	No
2012	588	30.6%	(26.0 - 35.6)	18,385	28.6%	(27.7 - 29.6)	NS	235	27.1%	(20.8 - 34.5)	7,781	29.2%	(27.9 - 30.6)	NS	353	34.1%	(27.7 - 41.0)	10,604	28.1%	(26.8 - 29.3)	NS	No
2013	581	26.3%	(22.2 - 30.9)	16,250	29.6%	(28.4 - 30.7)	NS	263	25.3%	(19.5 - 32.1)	6,860	30.8%	(29.1 - 32.5)	NS	318	27.4%	(21.9 - 33.7)	9,390	28.4%	(26.9 - 29.9)	NS	No
<u>Overweight or Obese (BMI=25+)</u>																						
2011	845	63.2%	(58.9 - 67.4)	24,366	64.9%	(64.0 - 65.8)	NS	339	70.1%	(63.4 - 76.0)	10,102	72.8%	(71.5 - 74.1)	NS	506	56.4%	(50.7 - 61.9)	14,264	56.8%	(55.5 - 58.1)	NS	Yes
2012	588	68.7%	(63.1 - 73.7)	18,385	65.0%	(64.0 - 66.0)	NS	235	72.5%	(63.8 - 79.8)	7,781	72.3%	(70.8 - 73.7)	NS	353	64.8%	(57.5 - 71.4)	10,604	57.6%	(56.2 - 59.0)	NS	No
2013	581	63.5%	(57.7 - 68.9)	16,250	65.5%	(64.2 - 66.7)	NS	263	65.9%	(56.8 - 73.9)	6,860	72.2%	(70.4 - 74.0)	NS	318	60.9%	(53.5 - 67.9)	9,390	58.5%	(56.8 - 60.2)	NS	No

Indicators	Overall							Men							Women							LHD Gender Diff. <sup>g</sup>
	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		
<b>Nutrition</b>																						
<u>Consumed sugar-sweetened beverages 1 or more times per day in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	275	28.4%	(22.4 - 35.2)	7,822	28.5%	(26.8 - 30.3)	NS	118	37.2%	(27.7 - 47.9)	3,164	35.8%	(33.1 - 38.5)	NS	157	19.6%	(13.1 - 28.4)	4,658	21.7%	(19.7 - 24.0)	NS	No
<u>Currently watching or reducing sodium or salt intake</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	277	56.1%	(49.1 - 62.8)	7,818	46.3%	(44.6 - 48.1)	+	119	54.2%	(43.8 - 64.3)	3,165	43.4%	(40.8 - 46.0)	NS	158	57.9%	(48.5 - 66.7)	4,653	49.1%	(46.8 - 51.5)	NS	No
<u>Median times per day consumed fruits</u>																						
2011	813	1.0	(1.0 - 1.0)	24,090	1.0	(1.0 - 1.0)	-	313	0.7	(0.6 - 0.9)	9,660	1.0	(1.0 - 1.0)	-	500	1.0	(1.0 - 1.1)	14,430	1.1	(1.1 - 1.1)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	1.0	(0.9 - 1.1)	15,949	1.0	(1.0 - 1.0)	NS	245	0.9	(0.7 - 1.0)	6,462	1.0	(1.0 - 1.0)	-	332	1.1	(1.0 - 1.4)	9,487	1.1	(1.1 - 1.1)	NS	No
<u>Consumed fruits less than 1 time per day</u>																						
2011	813	44.4%	(40.1 - 48.8)	24,090	40.1%	(39.2 - 41.1)	NS	313	56.1%	(49.3 - 62.7)	9,660	46.2%	(44.8 - 47.6)	+	500	34.0%	(28.6 - 39.7)	14,430	34.3%	(33.1 - 35.6)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	41.4%	(36.0 - 47.0)	15,949	39.7%	(38.5 - 41.0)	NS	245	49.8%	(41.4 - 58.2)	6,462	45.4%	(43.4 - 47.3)	NS	332	33.6%	(27.0 - 40.8)	9,487	34.4%	(32.8 - 36.1)	NS	Yes
<u>Median times per day consumed vegetables</u>																						
2011	808	1.4	(1.4 - 1.6)	23,785	1.5	(1.4 - 1.5)	NS	310	1.3	(1.1 - 1.4)	9,534	1.4	(1.3 - 1.4)	NS	498	1.6	(1.5 - 1.8)	14,251	1.6	(1.6 - 1.6)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	571	1.5	(1.3 - 1.6)	15,700	1.6	(1.6 - 1.6)	NS	242	1.2	(1.0 - 1.3)	6,373	1.4	(1.4 - 1.5)	-	329	1.7	(1.6 - 2.1)	9,327	1.7	(1.7 - 1.7)	NS	Yes
<u>Consumed vegetables less than 1 time per day</u>																						
2011	808	27.1%	(23.3 - 31.3)	23,785	26.2%	(25.4 - 27.1)	NS	310	34.8%	(28.4 - 41.7)	9,534	29.7%	(28.4 - 31.0)	NS	498	20.1%	(16.1 - 24.8)	14,251	22.9%	(21.8 - 24.1)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	571	24.8%	(20.1 - 30.2)	15,700	23.3%	(22.2 - 24.4)	NS	242	32.3%	(24.3 - 41.4)	6,373	26.6%	(25.0 - 28.4)	NS	329	17.7%	(13.5 - 23.0)	9,327	20.1%	(18.7 - 21.6)	NS	Yes
<b>Physical Activity</b>																						
<u>No leisure-time physical activity in past 30 days</u>																						
2011	829	29.2%	(25.5 - 33.2)	24,433	26.3%	(25.5 - 27.1)	NS	319	34.7%	(28.7 - 41.3)	9,795	27.2%	(26.0 - 28.5)	+	510	24.2%	(20.0 - 29.0)	14,638	25.4%	(24.3 - 26.5)	NS	No
2012	606	24.0%	(19.7 - 28.9)	19,153	21.0%	(20.2 - 21.9)	NS	237	27.8%	(21.0 - 35.7)	7,865	20.4%	(19.3 - 21.7)	NS	369	20.3%	(15.3 - 26.4)	11,288	21.6%	(20.5 - 22.8)	NS	No
2013	582	29.5%	(24.6 - 34.9)	16,158	25.3%	(24.2 - 26.4)	NS	246	35.2%	(27.1 - 44.3)	6,567	26.3%	(24.7 - 28.1)	NS	336	24.3%	(19.3 - 30.1)	9,591	24.3%	(22.9 - 25.8)	NS	No
<u>Met aerobic physical activity recommendation</u>																						
2011	799	49.1%	(44.7 - 53.5)	23,735	49.0%	(48.0 - 49.9)	NS	307	46.8%	(40.0 - 53.8)	9,544	47.2%	(45.8 - 48.6)	NS	492	51.1%	(45.5 - 56.8)	14,191	50.6%	(49.4 - 51.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	560	46.2%	(40.8 - 51.7)	15,730	50.1%	(48.8 - 51.4)	NS	237	40.4%	(32.6 - 48.8)	6,416	48.8%	(46.9 - 50.7)	NS	323	51.6%	(44.6 - 58.6)	9,314	51.4%	(49.7 - 53.1)	NS	No
<u>Met muscle strengthening recommendation</u>																						
2011	819	24.2%	(20.5 - 28.4)	24,204	28.1%	(27.3 - 29.0)	NS	314	22.7%	(17.2 - 29.3)	9,697	32.0%	(30.6 - 33.4)	-	505	25.6%	(20.7 - 31.1)	14,507	24.5%	(23.4 - 25.6)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	22.7%	(18.5 - 27.6)	16,021	28.4%	(27.2 - 29.6)	NS	242	21.4%	(15.4 - 29.1)	6,499	31.0%	(29.2 - 32.8)	-	335	23.9%	(18.3 - 30.4)	9,522	26.0%	(24.5 - 27.6)	NS	No
<u>Met both aerobic physical activity and muscle strengthening recommendations</u>																						
2011	794	17.4%	(14.0 - 21.4)	23,567	19.0%	(18.2 - 19.8)	NS	305	16.8%	(11.8 - 23.3)	9,477	19.7%	(18.5 - 20.9)	NS	489	18.0%	(13.7 - 23.3)	14,090	18.4%	(17.4 - 19.4)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	560	14.1%	(10.6 - 18.3)	15,635	18.8%	(17.8 - 19.9)	NS	237	11.6%	(7.2 - 18.2)	6,366	19.4%	(17.9 - 21.0)	NS	323	16.3%	(11.6 - 22.5)	9,269	18.2%	(16.8 - 19.6)	NS	No
<b>Injury</b>																						
<u>Always wear a seatbelt when driving or riding in a car</u>																						
2011	822	62.8%	(58.4 - 67.0)	24,208	71.3%	(70.5 - 72.1)	-	315	50.7%	(43.9 - 57.4)	9,683	63.7%	(62.4 - 65.0)	-	507	73.5%	(68.1 - 78.3)	14,525	78.6%	(77.5 - 79.5)	NS	Yes
2012	598	60.6%	(55.0 - 66.0)	18,851	69.7%	(68.7 - 70.6)	-	232	46.6%	(38.4 - 54.9)	7,731	61.7%	(60.2 - 63.2)	-	366	74.1%	(67.1 - 80.1)	11,120	77.3%	(76.1 - 78.4)	NS	Yes
2013	577	65.7%	(60.5 - 70.6)	16,053	74.1%	(73.0 - 75.2)	-	244	50.2%	(41.8 - 58.6)	6,520	67.0%	(65.3 - 68.7)	-	333	80.0%	(74.2 - 84.8)	9,533	80.8%	(79.5 - 82.1)	NS	Yes
<u>Texted while driving in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	286	21.0%	(15.4 - 28.0)	11,451	26.8%	(25.6 - 27.9)	NS	116	26.9%	(17.7 - 38.8)	4,757	29.2%	(27.5 - 31.0)	NS	170	15.9%	(10.2 - 24.1)	6,694	24.4%	(22.8 - 26.0)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<u>Talked on a cell phone while driving in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	287	60.7%	(53.9 - 67.1)	11,424	69.1%	(68.0 - 70.2)	-	116	66.5%	(56.3 - 75.4)	4,742	71.5%	(69.9 - 73.2)	NS	171	55.8%	(46.9 - 64.3)	6,682	66.7%	(65.2 - 68.2)	-	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>g</sup>			
	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)
<b>Had a fall in past year, aged 45 years and older</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	480	30.1%	(25.4 - 35.1)	13,738	28.8%	(27.7 - 29.9)	NS	180	27.8%	(20.8 - 35.9)	5,384	26.9%	(25.3 - 28.5)	NS	300	32.1%	(26.2 - 38.6)	8,354	30.5%	(29.1 - 31.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Injured due to a fall in past year, aged 45 years and older</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	479	11.8%	(8.7 - 15.7)	13,719	9.9%	(9.2 - 10.6)	NS	179	8.9%	(5.0 - 15.4)	5,377	7.7%	(6.7 - 8.7)	NS	300	14.2%	(10.1 - 19.8)	8,342	11.8%	(10.9 - 12.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Mental Health</b>																						
<b>Ever told they have depression</b>																						
2011	870	19.6%	(16.5 - 23.2)	25,333	16.8%	(16.2 - 17.5)	NS	338	13.9%	(10.0 - 18.9)	10,198	11.5%	(10.7 - 12.4)	NS	532	25.0%	(20.4 - 30.2)	15,135	22.0%	(21.0 - 23.0)	NS	Yes
2012	605	13.8%	(10.4 - 18.1)	19,115	16.7%	(16.0 - 17.5)	NS	237	8.9%	(5.6 - 13.9)	7,853	12.4%	(11.4 - 13.5)	NS	368	18.6%	(13.2 - 25.5)	11,262	20.9%	(19.8 - 22.1)	NS	No
2013	623	18.5%	(14.6 - 23.1)	17,065	18.2%	(17.3 - 19.2)	NS	269	15.0%	(9.9 - 22.2)	6,940	12.9%	(11.6 - 14.2)	NS	354	21.9%	(16.6 - 28.2)	10,125	23.4%	(22.0 - 24.8)	NS	No
<b>Currently taking medication or receiving treatment for a mental health condition</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	299	5.9%	(3.2 - 10.7)	6,643	11.0%	(10.0 - 12.1)	NS	112	2.9%	(1.3 - 6.7)	2,693	7.4%	(6.2 - 8.9)	NS	187	8.7%	(4.1 - 17.4)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Symptoms of serious mental illness in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	293	1.7%	(0.6 - 4.6)	6,555	3.2%	(2.6 - 3.9)	NS	109	0.6%	(0.1 - 4.1)	2,657	2.5%	(1.8 - 3.7)	NS	184	2.7%	(0.9 - 8.2)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Alcohol and Drug Use</b>																						
<b>Any alcohol consumption in past 30 days</b>																						
2011	813	56.2%	(51.8 - 60.5)	24,051	61.8%	(60.9 - 62.7)	-	311	64.7%	(57.9 - 70.9)	9,597	67.7%	(66.4 - 69.1)	NS	502	48.6%	(43.1 - 54.2)	14,454	56.2%	(55.0 - 57.4)	-	Yes
2012	600	54.5%	(49.1 - 59.9)	18,891	61.3%	(60.3 - 62.3)	-	235	65.5%	(57.4 - 72.9)	7,749	68.7%	(67.2 - 70.1)	NS	365	43.9%	(37.0 - 51.1)	11,142	54.2%	(52.8 - 55.6)	-	Yes
2013	604	50.7%	(45.4 - 56.0)	16,614	57.5%	(56.2 - 58.7)	-	259	60.7%	(52.2 - 68.7)	6,754	63.3%	(61.4 - 65.2)	NS	345	41.4%	(35.1 - 48.1)	9,860	51.8%	(50.2 - 53.5)	-	Yes
<b>Binge drank in past 30 days</b>																						
2011	811	22.8%	(19.1 - 26.9)	23,948	22.7%	(21.9 - 23.5)	NS	309	31.9%	(25.7 - 38.9)	9,533	30.2%	(28.9 - 31.5)	NS	502	14.6%	(10.9 - 19.4)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	590	20.0%	(15.5 - 25.5)	18,742	22.1%	(21.3 - 23.0)	NS	229	30.6%	(22.9 - 39.5)	7,664	29.1%	(27.6 - 30.5)	NS	361	10.4%	(6.3 - 16.7)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	602	17.1%	(13.3 - 21.6)	16,500	20.0%	(19.0 - 21.1)	NS	258	24.1%	(17.7 - 31.8)	6,687	25.2%	(23.6 - 26.9)	NS	344	10.7%	(6.9 - 16.1)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
<b>Heavy drinking in past 30 days</b>																						
2011	808	7.0%	(5.0 - 9.6)	23,906	7.5%	(7.0 - 8.1)	NS	307	9.6%	(6.1 - 14.8)	9,514	9.2%	(8.4 - 10.2)	NS	501	4.6%	(3.0 - 7.1)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	588	7.8%	(4.9 - 12.2)	18,738	7.2%	(6.6 - 7.7)	NS	227	9.1%	(4.9 - 16.3)	7,668	8.5%	(7.7 - 9.4)	NS	361	6.6%	(3.2 - 13.0)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	600	4.1%	(2.4 - 6.9)	16,513	6.8%	(6.2 - 7.5)	NS	258	5.8%	(3.1 - 10.7)	6,698	7.3%	(6.4 - 8.3)	NS	342	2.5%	(1.0 - 6.3)	9,815	6.3%	(5.5 - 7.2)	NS	No
<b>Alcohol impaired driving in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	601	3.3%	(1.7 - 6.2)	18,895	3.4%	(3.1 - 3.8)	NS	234	6.3%	(3.2 - 12.1)	7,741	5.5%	(4.9 - 6.3)	NS	367	0.4%	(0.1 - 1.6)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Took pain medication prescribed by doctor in past year</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	295	32.9%	(26.8 - 39.6)	11,767	30.2%	(29.1 - 31.4)	NS	119	40.7%	(30.7 - 51.5)	4,835	27.3%	(25.7 - 29.0)	+	176	26.2%	(19.4 - 34.3)	6,932	33.0%	(31.5 - 34.6)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Had leftover pain meds after last filled script, among those who took pain meds in past year</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	96	47.7%	(36.0 - 59.7)	3,848	49.2%	(46.9 - 51.4)	NS	46	44.7%	(28.9 - 61.6)	1,423	43.9%	(40.4 - 47.4)	NS	50	51.8%	(35.7 - 67.5)	2,425	53.4%	(50.5 - 56.3)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>Immunization and Infectious Disease</b>																						
<b>Had a flu vaccination in past year, aged 18 years and older</b>																						
2011	816	49.1%	(44.8 - 53.4)	24,156	41.1%	(40.2 - 42.0)	+	311	46.2%	(39.7 - 52.9)	9,663	35.1%	(33.8 - 36.5)	+	505	51.6%	(46.0 - 57.2)	14,493	46.8%	(45.6 - 48.1)	NS	No
2012	600	43.0%	(37.8 - 48.4)	18,903	42.2%	(41.2 - 43.2)	NS	234	38.2%	(30.6 - 46.4)	7,754	36.8%	(35.4 - 38.2)	NS	366	47.7%	(40.8 - 54.7)	11,149	47.5%	(46.1 - 48.8)	NS	No
2013	576	43.0%	(37.9 - 48.3)	16,022	45.2%	(43.9 - 46.4)	NS	243	39.4%	(31.8 - 47.6)	6,506	41.2%	(39.4 - 43.1)	NS	333	46.4%	(39.7 - 53.2)	9,516	48.9%	(47.2 - 50.6)	NS	No
<b>Had a flu vaccination in past year, aged 65 years and older</b>																						
2011	323	74.0%	(68.4 - 78.9)	8,185	61.8%	(60.3 - 63.3)	+	107	75.7%	(66.0 - 83.3)	2,875	59.6%	(57.1 - 62.1)	+	216	72.8%	(65.8 - 78.8)	5,310	63.4%	(61.5 - 65.3)	+	No
2012	255	60.8%	(53.2 - 67.9)	6,625	62.9%	(61.2 - 64.6)	NS	88	59.1%	(46.3 - 70.8)	2,327	60.9%	(58.1 - 63.6)	NS	167	62.3%	(53.5 - 70.3)	4,298	64.4%	(62.4 - 66.5)	NS	No
2013	218	67.5%	(59.7 - 74.4)	5,652	66.2%	(64.2 - 68.1)	NS	90	64.2%	(51.6 - 75.2)	2,067	67.6%	(64.4 - 70.6)	NS	128	70.3%	(60.9 - 78.3)	3,585	65.0%	(62.6 - 67.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	South Heartland District			State of NE			Sig <sup>d</sup>	
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)
<b>Ever had a pneumonia vaccination, aged 65 years and older</b>																						
2011	316	70.5%	(64.4 - 75.9)	7,997	70.3%	(68.8 - 71.7)	NS	104	66.2%	(55.7 - 75.4)	2,772	66.7%	(64.2 - 69.1)	NS	212	73.5%	(66.1 - 79.7)	5,225	72.9%	(71.2 - 74.5)	NS	No
2012	251	68.7%	(61.1 - 75.5)	6,413	70.0%	(68.4 - 71.6)	NS	85	60.0%	(46.9 - 71.7)	2,225	66.9%	(64.1 - 69.6)	NS	166	76.3%	(68.1 - 82.9)	4,188	72.3%	(70.3 - 74.1)	NS	No
2013	211	76.4%	(69.2 - 82.3)	5,478	71.7%	(69.8 - 73.4)	NS	84	73.9%	(61.8 - 83.1)	1,970	71.5%	(68.5 - 74.3)	NS	127	78.5%	(69.4 - 85.5)	3,508	71.8%	(69.4 - 74.0)	NS	No
<b>Had a tetanus vaccination since 2005</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	532	56.3%	(50.4 - 61.9)	14,650	60.2%	(58.9 - 61.5)	NS	222	58.8%	(49.3 - 67.7)	6,015	63.1%	(61.1 - 65.0)	NS	310	53.9%	(46.7 - 60.9)	8,635	57.4%	(55.6 - 59.1)	NS	No
<b>Ever been tested for HIV, 18-64 year olds (excluding blood donation)</b>																						
2011	485	25.1%	(20.7 - 30.0)	15,561	30.8%	(29.7 - 31.8)	NS	198	21.2%	(15.3 - 28.7)	6,612	28.4%	(27.0 - 29.9)	NS	287	28.6%	(22.6 - 35.4)	8,949	33.1%	(31.7 - 34.6)	NS	No
2012	338	27.3%	(21.6 - 33.7)	11,879	30.9%	(29.8 - 32.1)	NS	142	23.4%	(16.0 - 32.8)	5,254	27.9%	(26.3 - 29.5)	NS	196	31.2%	(23.3 - 40.3)	6,625	34.0%	(32.4 - 35.7)	NS	No
2013	346	24.5%	(19.2 - 30.8)	10,049	31.8%	(30.3 - 33.3)	NS	149	20.1%	(13.1 - 29.7)	4,304	29.1%	(27.0 - 31.3)	NS	197	28.8%	(21.4 - 37.5)	5,745	34.4%	(32.5 - 36.4)	NS	No
<b>Oral Health</b>																						
<b>Visited a dentist or dental clinic for any reason in past year</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	601	67.9%	(62.4 - 72.9)	19,052	67.6%	(66.6 - 68.5)	NS	236	68.7%	(60.6 - 75.9)	7,827	64.2%	(62.7 - 65.6)	NS	365	67.0%	(59.4 - 73.8)	11,225	70.9%	(69.6 - 72.1)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Had any permanent teeth extracted due to tooth decay or gum disease</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	597	42.2%	(37.1 - 47.5)	18,824	39.8%	(38.8 - 40.8)	NS	234	40.8%	(33.2 - 48.9)	7,750	39.2%	(37.7 - 40.6)	NS	363	43.6%	(36.9 - 50.6)	11,074	40.4%	(39.1 - 41.7)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	254	15.2%	(10.4 - 21.8)	6,502	13.4%	(12.3 - 14.5)	NS	89	13.5%	(6.6 - 25.4)	2,313	12.0%	(10.3 - 13.9)	NS	165	16.8%	(10.9 - 25.1)	4,189	14.4%	(13.0 - 16.0)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Social Context</b>																						
<b>Housing insecurity in past year, among those who own or rent their home</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	264	26.7%	(19.8 - 34.9)	6,089	26.6%	(25.0 - 28.3)	NS	99	26.2%	(16.4 - 39.1)	2,481	24.7%	(22.3 - 27.3)	NS	165	27.1%	(18.2 - 38.4)	3,608	28.5%	(26.3 - 30.8)	NS	No
2013	261	26.1%	(20.1 - 33.2)	7,324	28.8%	(27.1 - 30.5)	NS	111	25.3%	(16.5 - 36.7)	2,961	25.0%	(22.5 - 27.7)	NS	150	26.9%	(19.3 - 36.1)	4,363	32.3%	(30.0 - 34.7)	NS	No
<b>Food insecurity in past year</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	297	18.6%	(12.9 - 26.2)	6,621	17.6%	(16.2 - 19.0)	NS	111	12.8%	(6.2 - 24.6)	2,684	13.9%	(12.1 - 16.0)	NS	186	23.8%	(15.6 - 34.5)	3,937	21.1%	(19.1 - 23.2)	NS	No
2013	276	16.2%	(11.5 - 22.5)	7,828	19.0%	(17.6 - 20.6)	NS	119	11.0%	(5.4 - 21.1)	3,159	15.4%	(13.4 - 17.7)	NS	157	21.5%	(14.7 - 30.3)	4,669	22.5%	(20.5 - 24.6)	NS	No
<b>Inadequate Sleep</b>																						
<b>Get less than 7 hours of sleep per day</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	618	29.6%	(24.7 - 35.0)	16,972	31.8%	(30.6 - 33.0)	NS	269	35.1%	(27.2 - 43.9)	6,927	32.6%	(30.8 - 34.5)	NS	349	24.1%	(18.9 - 30.3)	10,045	31.0%	(29.5 - 32.6)	NS	No
<b>Average hours of sleep per day</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	618	7.2	(7.1 - 7.4)	16,972	7.1	(7.0 - 7.1)	NS	269	7.1	(6.9 - 7.3)	6,927	7.0	(7.0 - 7.1)	NS	349	7.3	(7.1 - 7.5)	10,045	7.1	(7.0 - 7.1)	NS	No
<b>Occupational Safety and Health</b>																						
<b>Work-related injury or illness in past year, among employed or recently out of work</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	182	7.2	(3.7 - 13.5)	4,952	4.8	(3.9 - 5.8)	NS	77	11.8%	(5.6 - 23.4)	2,246	6.1%	(4.8 - 7.7)	NS	105	2.3%	(0.6 - 8.1)	2,706	3.3%	(2.2 - 4.9)	NS	No

Note: Data reflect the four county LHD region of Adams, Clay, Nuckolls, and Webster Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators, some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

<sup>a</sup> Non-weighted sample size among adults 18 and older (unless different age group noted)

<sup>b</sup> Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

<sup>c</sup> Low and High are the lower and upper limits of the 95% confidence interval, respectively

<sup>d</sup> Symbols represent: "+" = LHD value significantly higher than the state value (p < 0.05); "-" = LHD value significantly lower than the state value (p < .05); "NS" = LHD value not statistically different than the state value (p > 0.05); significant differences based on 95% confidence interval overlap

<sup>e</sup> Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS), September 2014